



# LAND BANK OF THE PHILIPPINES

ISO 14001 CERTIFIED

Official Depository of the Republic of the Philippines

## BID BULLETIN NO. 1 For ITB No. 2015-3-134

**PROJECT :** One Lot Supply, Delivery and Installation of Eight (8) Units Thermal Card Printer with Three (3) Years Hardware and Software Warranty plus Two (2) Years Service Maintenance Package at Various LANDBANK Branches / Offices (FOB Destination)

**IMPLEMENTOR :** Procurement Department

**DATE :** July 29, 2015


---

This Bid Bulletin is issued to modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

The modifications or amendments are as follows:

- 1) The Terms of Reference has been revised. Please see attached revised Annexes A1 to A5.
- 2) Section VII (Technical Specifications) and Checklist of Bidding Documents have been revised. Please see attached revised pages 71, 72 and 89.
- 3) The deadline of submission and the schedule of opening of eligibility/technical and financial documents/proposals for the above project is re-scheduled from July 30, 2015 to **August 6, 2015, 11:00 A.M.** at the Procurement Department, 25th Floor, LANDBANK Plaza Building, 1598 M. H. Del Pilar corner Dr. Quintos Streets, Malate, Manila.

For guidance and information of all concerned.

  
**ALWIN I. REYES**  
Department Manager  
Procurement Department

# Terms of Reference for Thermal Printer

|  | TECHNICAL SPECIFICATIONS  | REMARKS       |
|--|---|---------------|
| Thermal Card Printer/Machine<br>Design with<br>accessories/functionalities | Modular and upgradable (e.g. from single sided to dual sided printing)  | Should comply |
|  | Colored Single Sided Thermal Card Printer to be used for all debit cards such as ATM, VISA Debit Card, Cash Cards ( white printed Text) | Should comply |
|  | Capable of manual settings for printing temperature   | Should comply |
|  | Supplier must provide matte finish sample card for evaluation purposes  | Optional      |
|  | Perpetual Licensed Software in a single pass for the ff:  | Should comply |
|  | Software that will enable definition of different card design for different card products   | Should comply |
|  | Capable for single/batch printing of appropriate data information requirement of LBP (i.e. account name, account number, card number)   | Should comply |
|  | Software for magnetic stripe encoding, reading and overwriting of data in all tracks (i.e. Track 1, 2 and 3)                            | Should comply |
|  | Security Management (see attached detailed requirements per EO 35, s 201.1)   | Should comply |
|  | User Management   | Should comply |
|  | Facility to create and maintain users   | Should comply |
|  | Role-based user access  | Should comply |
|  | Allows creation of roles  | Should comply |
|  | Facility to change password by the user and reset password by the administrator with audit trail  | Should comply |

A1 (Revised)

Y A

### Terms of Reference for Thermal Printer

|   | TECHNICAL SPECIFICATIONS   | REMARKS       |
|---|--|---------------|
|   | Reportorial Requirements   | Should comply |
|   | User Activity Report   | Should comply |
|   | No. of Printed/Rejected Cards  | Should comply |
|   | No. of Printed/Rejected Cards  | Should comply |
| <b>Magnetic Stripe Encoding</b>                       | HiCo, Tracks 1, 2 and 3  | Should comply |
| <b>Data Verification/Built in card reader/encoder</b> | Magnetic Stripe Card Verification  | Should comply |
|   | Chip (Contactless) Card Verification   | Should comply |
|   | ISO 14443 Type A and B   | Should comply |
| <b>Speed</b>  | 24 sec per card (YMCKO) / 7  | Should comply |
| <b>Euro/Visa/Master (EMV)Card Compliant</b>           | Compliant. Capable of chip encoding; The supplier must submit a Self Certification of Compliance | Should comply |
| <b>Printing Method</b>                                | Thermal Transfer   | Should comply |
| <b>Card Format</b>                                    | CR80-ISO standard  | Should comply |
| <b>Color Resolution</b>                               | 300 dpi  | Should comply |
| <b>Input Hopper</b>                                   | 50 cards   | Should comply |
| <b>Output Hopper</b>                                  | 20 cards   | Should comply |
| <b>Communication Interface</b>                        | USB  | Should comply |
|   | Option for Ethernet TCP-IP connection  | Should comply |
| <b>Personalization Software</b>                       | PCI (Peripheral Component Interconnect) Compliant Software                                       |               |
|   | Customize depending on the card products (e.g. VISA, Mastercard, LBP Regular ATM, LBP Cash Card) | Should comply |
| <b>Operating System</b>                               | Windows XP   | Should comply |
|   | Upgradable to a higher version at no additional cost   | Should comply |
| <b>Power Requirement</b>                              | 220-250V   | Should comply |
| <b>User's Operational Manual</b>                      | Available  | Should comply |
| <b>Other requirements</b>                             | List of Service Centers  | Should comply |
| <b>SECURITY PARAMETERS</b>                            | SECURITY REQUIREMENTS  |               |

A2 (Revised)

7

### Terms of Reference for Thermal Printer

|                                       | TECHNICAL SPECIFICATIONS   | REMARKS       |
|---------------------------------------|--|---------------|
| <b>USER ID</b>                        | LBP assigned ID number or approved ID convention/format for specific system                            | Should comply |
|                                       | 4-16 alphanumeric (alpha, numeric or combination of both characters)                                   | Should comply |
|                                       | Not case-sensitive   | Should comply |
| <b>Password</b>                       | Minimum of 8 alpha and numeric characters  | Should comply |
|                                       | Must not contain 3 consecutive repeating characters  | Should comply |
|                                       | Case-sensitive   | Should comply |
|                                       | Masked   | Should comply |
| <b>User ID and Password Database</b>  | Encrypted, in addition to the above mentioned security requirements                                    | Should comply |
| <b>Password Expiry</b>                | Maximum of 90 days or as the need arises   | Should comply |
| <b>Password Re-use/History</b>        | Minimum of 3 previous password used  | Should comply |
| <b>Automatic Lock/Suspend/Revoked</b> | Maximum of 3 consecutive unsuccessful attempts   | Should comply |
| <b>Automatic Log-off/ Log-out</b>     | Maximum of 15 minutes of inactivity  | Should comply |
| <b>Change Password</b>                | Every after 90 days or as the need arises  | Should comply |
|                                       | User-triggered   | Should comply |
| <b>Force Change Password</b>          | Upon initial log-in after creation of account/resetting of password except for user-nominated password | Should comply |

A3 (Revised)

Y/L

## LAND BANK OF THE PHILIPPINES

## Thermal Card Printer with Card Personalization Software for Branches

| CONDITIONS TESTED   | Specification/Requirements | EXPECTED RESULT  | REMARKS |
|---|----------------------------|------------------|---------|
| <b>I. Thermal Printing</b>  |                            |                  |         |
| • Modular and upgradable  |                            | will allow       |         |
| • Two (2) Monochrome Ribbon (white) with at least 1,000 prints  |                            | available        |         |
| <b>A. Color Printing</b>  |                            |                  |         |
| • Print Area  |                            | Full card size   |         |
| • Printing Capacity   |                            | 24 seconds/card  |         |
| • Color Resolution  |                            | 300 dpi          |         |
| • Printing Method   |                            |                  |         |
| • Thermal Transfer  |                            |                  |         |
| • One sided   |                            | will allow       |         |
| • Dual Sided (optional)   |                            | will allow       |         |
| • Includes magnetic stripe encoding   |                            | will allow       |         |
| • HICO  |                            |                  |         |
| • Track 1, 2 and 3  |                            | will allow       |         |
| • Includes chip encoding  |                            | will allow       |         |
| • contact   |                            | will allow       |         |
| • contactless   |                            | will allow       |         |
| • smart card  |                            | will allow       |         |
| • EMV (Euro/Mastercard/Visa)  |                            | With Certificate |         |
| • Includes data verification  |                            |                  |         |
| • Magnetic stripe   |                            | will allow       |         |
| • Chip  |                            | will allow       |         |
| <b>B. Mono Printing</b>   |                            |                  |         |
| • Printing Capacity   |                            | 7 seconds/card   |         |
| • Printing Method   |                            |                  |         |
| • Thermal Transfer  |                            |                  |         |
| • One sided   |                            | will allow       |         |
| • Dual Sided (optional)   |                            | will allow       |         |
| • Includes magnetic stripe encoding   |                            | will allow       |         |
| • HICO  |                            |                  |         |
| • Track 1, 2 and 3  |                            | will allow       |         |
| • Includes chip encoding  |                            | will allow       |         |
| • contact   |                            | will allow       |         |
| • contactless   |                            | will allow       |         |
| • smart card  |                            | will allow       |         |
| • EMV (Euro/Mastercard/Visa)  |                            | compliant        |         |
| • Includes data verification  |                            |                  |         |
| • Magnetic stripe   |                            | available        |         |
| • Chip  |                            | available        |         |
| <b>II. Personalization Software/Programming</b>   |                            |                  |         |
| <b>Personalization Software</b>   |                            |                  |         |
| • Perpetual License Software in a single pass with the ff functionalities   |                            | available        |         |
| ✓ software that will enable definition of different card design for different card products                                 |                            | available        |         |
| - ATM (Proprietary)   |                            |                  |         |
| - Cash Card   |                            |                  |         |
| - Sikat Baka  |                            |                  |         |
| - Premium   |                            |                  |         |
| - Visa  |                            |                  |         |
| • Capable for single/batch printing of appropriate data information requirement of LBP (i.e. acct name, acct no., card no.) |                            | available        |         |
| ✓ Software for magnetic stripe encoding, reading and erasing of data in all tracks (i.e. Track 1, 2 and 3)                  |                            | available        |         |
| ✓ User Management (See Annex A)   |                            | available        |         |
| • Facility to create and maintain users   |                            |                  |         |
| • Role-based user access  |                            |                  |         |
| • Allows creation of roles  |                            |                  |         |
| • Facility to change password by the user and reset password by the administrator with audit trail                          |                            |                  |         |
| ✓ Reportorial Requirements  |                            | available        |         |
| • User Activity Report  |                            |                  |         |
| • No. of Printed/Rejected Cards   |                            |                  |         |
| • Existing Embossing File   |                            | will allow       |         |
| • Magstripe encoding of Visa's Cardholders Name   |                            | available        |         |
| e.g from Track 2 to Track 1 (per VISA standards)  |                            | available        |         |
| • Create Patch File for every new card design layout/requirement  |                            | available        |         |

| CONDITIONS TESTED   | Specification Requirements | EXPECTED RESULT | REMARKS |
|---|----------------------------|-----------------|---------|
| <b>III. Security and Access Controls</b>  |                            |                 |         |
| Application System  |                            |                 |         |
| User ID   |                            |                 |         |
| 4-16 alphanumeric (alpha, numeric or combination of both characters)                                    |                            | will allow      |         |
| not case-sensitive  |                            | will allow      |         |
| Password  |                            |                 |         |
| minimum of 6 alpha and numeric characters   |                            | will allow      |         |
| case-sensitive  |                            | will allow      |         |
| different from User ID  |                            | will allow      |         |
| masked  |                            | will allow      |         |
| Password File/Database  |                            |                 |         |
| encrypted, in addition to the above mentioned security requirements                                     |                            | will allow      |         |
| Password Expiry   |                            |                 |         |
| maximum of 90 days or as the need arises  |                            | will allow      |         |
| Password Re-use/History   |                            |                 |         |
| minimum of last previous password used  |                            | will allow      |         |
| Automatic Lock/Suspend/Revoked  |                            |                 |         |
| maximum of 3 consecutive unsuccessful attempts  |                            | will allow      |         |
| Change Password   |                            |                 |         |
| every after ninety (90) days or as the need arises  |                            | will allow      |         |
| user-triggered  |                            | will allow      |         |
| Force Change Password   |                            |                 |         |
| upon initial log-in after creation of account/ resetting of password except for user-nominated password |                            | will allow      |         |
| User Management   |                            |                 |         |
| Facility to create and maintain users   |                            | will allow      |         |
| Role-based user access  |                            | will allow      |         |
| Reportorial Requirements  |                            | will allow      |         |
| Audit Trail   |                            | will allow      |         |

**IV. Hardware and System Requirements**

|                                       |  |            |  |
|---------------------------------------|--|------------|--|
| Hopper                                |  |            |  |
| Input                                 |  | 50 cards   |  |
| Output                                |  | 20 cards   |  |
| Reject tray (optional)                |  | 10 cards   |  |
| Communication Interface               |  |            |  |
| USB                                   |  | will allow |  |
| Ethernet TCP/IP Connection (Optional) |  | will allow |  |
| Power Requirement                     |  |            |  |
| 220-250V                              |  | will allow |  |
| Operating System                      |  |            |  |
| Windows XP                            |  | will allow |  |
| Higher version                        |  | will allow |  |

A5 (Revised)

# Technical Specifications

| Item No. |   | <p><b>Statement of Compliance</b></p> <p><b>Bidders must state below either "Comply" or "Not Comply" against each of the individual parameters of each specification stating the corresponding performance parameter of the items offered.</b></p> <p>Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii)</p> |
|----------|---|--|
| 1        | <p>One Lot Supply, Delivery and Installation of Eight (8) Units Thermal Card Printer with Three (3) Years Hardware and Software Warranty plus Two (2) Years Service Maintenance Package at Various Branches / Offices (FOB Destination)</p> <p>Other requirements:</p> <ol style="list-style-type: none"> <li>1) <b>Compliance to the specifications and other requirements per attached Revised Terms of Reference (Annexes A-1 to A-5)</b></li> <li>2) Submission of the following documents inside the eligibility/technical envelope: <ol style="list-style-type: none"> <li>a. Certification (original copy or authenticated photocopy) issued by the bidder's manufacturer stating</li> </ol> </li> </ol> | <p><b>Please state here either "Comply" or "Not Comply"</b></p>  |

|  |   |   |
|--|---|---|
|  | <p>that the bidder is one of its authorized reseller/distributor.</p> <p>b. <b>Certification issued by the bidder stating that the bidder is compliant and capable of chip encoding for Euro/VISA/Master (EMV) Cards</b></p> <p>c. Brochures or any other document indicating the complete specifications of the offered brand/model.</p> <p>3) Cost of the 2-year maintenance package should not be less than 15% of the cost of the machine</p> <p>4) The winning bidder must affix a sticker/tag/label with company name and after-sales contact number(s) or equivalent form of marking on the equipment.</p> | <p><b>Please state here either "Comply" or "Not Comply"</b></p> |
|--|---|---|

**Conforme:**

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Signature Over Printed Name of  
Authorized Representative

\_\_\_\_\_  
Position



- 3.f Certification (original copy or authenticated photocopy) issued by the bidder's manufacturer stating that the bidder is one of its authorized reseller/distributor.
- 3.g Certification issued by the bidder stating that the bidder is compliant and capable of chip encoding for Euro/VISA/Master (EMV) Cards**
- 3.h Brochures or any other document indicating the complete specifications of the offered brand/model.
- 3.i The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.
- 3.j The prospective bidder's computation for its Net Financial Contracting Capacity (sample form - Form No. 5).
- 3.k Valid joint venture agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful shall be included in the bid. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security. Each partner of the joint venture shall submit the legal eligibility documents. The submission of technical and financial eligibility documents by any of the joint venture partners constitutes compliance.
- 4. Bid security in the prescribed form, amount and validity period (ITB Clause 18.1 of the Bid Data Sheet);
- 5. Schedule VI - Schedule of Requirements with signature of bidder's authorized representative.
- 6. Revised Section VII - Technical Specifications with response on compliance and signature of bidder's authorized representative.**

**The SECOND ENVELOPE shall contain the following (Section 25.3):**

- 1. Duly filled out Bid Form signed by the bidder's authorized representative (sample form - Form No.1)
- 2. Duly filled out Schedule of Prices signed by the bidder's authorized representative (sample form - Form No.2)