

**LAND BANK OF THE PHILIPPINES**

ISO 14001 CERTIFIED

Official Depository of the Republic of the Philippines

**BID BULLETIN NO. 1
For ITB No. 2015-3-041**

PROJECT : **One (1) Lot Supply, Delivery, Installation and Activation of Closed Circuit Television (CCTV) Devices at Five (5) LANDBANK Offices and Two (2) LANDBANK Easy Access Facility (LEAF) Project Sites**

IMPLEMENTOR : **Procurement Department**

DATE : **April 6, 2015**

This Bid Bulletin is issued to modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

The modifications or amendments are as follows:

- 1) Section VI (Schedule of Requirements) and Section VII (Technical Specifications) have been revised. Please see attached revised pages 74, 75, 76, 77, 79, 80, 81, 82 and 83.
- 2) Schedule of Prices (Form No. 2) has been revised. Please see attached revised pages 88, 89, 90, 91, 92, 93 and 94.
- 3) Checklist of Bidding Documents has been revised. Please see attached revised page 106.
- 4) The deadline of submission and the schedule of opening of eligibility/technical and financial documents/proposals for the above project is re-scheduled from April 7, 2015 to **April 16, 2015, 11:00 A.M.** at the Procurement Department, 25th Floor, LANDBANK Plaza Building, 1598 M. H. Del Pilar corner Dr. Quintos Streets, Malate, Manila.

For guidance and information of all concerned.



ALWIN I. REYES
Department Manager
Procurement Department

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Description	Delivery Period & Destination
<p>One (1) Lot Supply, Delivery, Installation and Activation of CCTV Devices at the following Five (5) LANDBANK Offices and Two (2) LEAF Project Sites:</p> <p>I. Janiuay (Iloilo) Branch Approximate Office Area: 16.64m x 15.25m Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 16-Port Power over Ethernet (PoE) Switch • 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" • Masking Tape • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	<p>Five (5) LANDBANK Branches and Two (2) LEAF Project Sites (Please refer to Annex D).</p> <p>Twenty (20) calendar days, per site, after receipt of Notice to Proceed.</p>
<p>II. Guiuan (Eastern Samar) Branch Approximate Office Area: 10.0m x 17.85m Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 16-Port Power over Ethernet (PoE) Switch • 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" 	<p style="text-align: center;"><u>Quantity</u></p> <p>2 pcs.</p> <p>6 pcs</p> <p>1 pc.</p> <p>1 pc.</p> <p>150 m.</p> <p>20 pcs.</p> <p>75 m.</p> <p>10 pcs.</p>

<ul style="list-style-type: none"> • Masking Tape • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	1 pc. 1 pc. 20 pcs. 3 length 5 pcs. 5 pcs.	
<p>III. Calumpang (Gen. Santos City) Extension Office</p> <p>Approximate Office Area: 18.66m x 10.0m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p>		
<ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 16-Port Power over Ethernet (PoE) Switch • 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" • Masking Tape • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	<p style="text-align: center;"><u>Quantity</u></p> 2 pcs. 6 pcs 1 pc. 1 pc. 150 m. 20 pcs. 75 m. 10 pcs. 1 pc. 1 pc. 20 pcs. 3 length 5 pcs. 5 pcs.	
<p>IV. Batasan Branch</p> <p>Approximate Office Area: 14.81m x 11.17m</p> <p>Supply, Delivery, Installation and Activation of the following Additional CCTV Devices:</p>		
<p>A. Existing Devices:</p> <ul style="list-style-type: none"> ✓ Indoor IP Camera ✓ Outdoor IP Camera (Vandal Proof) <p>B. Additional Devices to be supplied:</p> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 16-Port Power over Ethernet (PoE) Switch • 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" • Masking Tape 	<p style="text-align: center;"><u>Quantity</u></p> 5 units 1 unit 1 pc. 2 pcs 1 pc. 1 pc. 305 m. 10 pcs. 150 m. 10 pcs. 1 pc.	

<ul style="list-style-type: none"> • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	<p>1 pc. 20 pcs. 10 length 5 pcs. 5 pcs.</p>	
V. <u>Quezon Avenue Branch</u>		
<p>Approximate Office Area: 22.50m x 16.0m</p>		
<p>Dismantling, Relocation & Reinstallation of Existing CCTV Surveillance System and Supply, Delivery, Installation & Activation of the following Additional CCTV Devices:</p>		
<u>Quantity</u>		
<p>A. <u>Existing Devices:</u></p>		
<ul style="list-style-type: none"> ✓ Indoor IP Camera 	<p>6 units</p>	
<ul style="list-style-type: none"> ✓ Outdoor IP Camera (Vandal Proof) 	<p>1 unit</p>	
<ul style="list-style-type: none"> ✓ 16-Port Power over Ethernet (PoE) Switch 	<p>1 unit</p>	
<ul style="list-style-type: none"> ✓ 16-Channel NVR with 4TB HDD & Monitor 	<p>1 unit</p>	
<p>B. <u>Additional Devices to be supplied:</u></p>		
<ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 	<p>1 pc.</p>	
<p>NOTE: Cameras should be compatible with IVMS 4000 software</p>		
<ul style="list-style-type: none"> • Cat5e UTP Cable 	<p>305 m.</p>	
<ul style="list-style-type: none"> • RJ45 Connector 	<p>20 pcs.</p>	
<ul style="list-style-type: none"> • Flexible PVC ¾" 	<p>150 m.</p>	
<ul style="list-style-type: none"> • Straight Connector ¾" 	<p>10 pcs.</p>	
<ul style="list-style-type: none"> • Masking Tape 	<p>1 pc.</p>	
<ul style="list-style-type: none"> • Electrical Tape 	<p>1 pc.</p>	
<ul style="list-style-type: none"> • Tie Wrap #10 	<p>20 pcs.</p>	
<ul style="list-style-type: none"> • Plastic Moulding (1" x 8') 	<p>10 length</p>	
<ul style="list-style-type: none"> • Square Box with cover, 2" x 4" x 4" 	<p>5 pcs.</p>	
<ul style="list-style-type: none"> • Junction Box 	<p>5 pcs.</p>	
VI. <u>LEAF Project Site at Barotac Nuevo Local Government Unit c/o Iloilo Branch</u>		
<p>Approximate Office Area: 5.30m x 5.0m</p>		
<p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p>		
<u>Quantity</u>		
<ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 	<p>1 pc.</p>	
<ul style="list-style-type: none"> • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) 	<p>2 pcs</p>	
<p>NOTE: Cameras should be compatible with IVMS 4000 software</p>		
<ul style="list-style-type: none"> • 8-Port Power over Ethernet (PoE) Switch 	<p>1 pc.</p>	
<ul style="list-style-type: none"> • 8-Channel NVR with 4TB HDD & Monitor 	<p>1 pc.</p>	
<p>NOTE: Please see attached specifications.</p>		
<ul style="list-style-type: none"> • Cat5e UTP Cable 	<p>100 m.</p>	
<ul style="list-style-type: none"> • RJ45 Connector 	<p>6 pcs.</p>	
<ul style="list-style-type: none"> • Flexible PVC ¾" 	<p>20 m.</p>	
<ul style="list-style-type: none"> • Straight Connector ¾" 	<p>10 pcs.</p>	
<ul style="list-style-type: none"> • Masking Tape 	<p>1 pc.</p>	
<ul style="list-style-type: none"> • Electrical Tape 	<p>1 pc.</p>	

• Tie Wrap #10	5 pcs.	
• Plastic Moulding (1" x 8')	3 length	
• Square Box with cover, 2" x 4" x 4"	5 pcs.	
• Junction Box	5 pcs.	
VII. LEAF Project Site at Bago, Negros Occidental c/o Bacolod Branch		
Approximate Office Area: 3.86m x 7.48m		
Supply, Delivery, Installation and Activation of the following CCTV Devices:		
	<u>Quantity</u>	
• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)	1 pc.	
• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)	1 pc.	
NOTE: Cameras should be compatible with IVMS 4000 software		
• 8-Port Power over Ethernet (PoE) Switch	1 pc.	
• 8-Channel NVR with 4TB HDD & Monitor	1 pc.	
NOTE: Please see attached specifications.		
• Cat5e UTP Cable	100 m.	
• RJ45 Connector	6 pcs.	
• Flexible PVC 3/4"	20 m.	
• Straight Connector 3/4"	10 pcs.	
• Masking Tape	1 pc.	
• Electrical Tape	1 pc.	
• Tie Wrap #10	5 pcs.	
• Plastic Moulding (1" x 8')	3 length	
• Square Box with cover, 2" x 4" x 4"	5 pcs.	
• Junction Box	5 pcs.	

Conforme:

Name of Bidder

Signature Over Printed Name of
Authorized Representative

Position

Technical Specifications

Specification	Statement of Compliance																										
<p>One (1) Lot Supply, Delivery, Installation and Activation of CCTV Devices at the following Five (5) LANDBANK Offices and Two (2) LEAF Project Sites:</p> <p><u>I. Janiuay (Iloilo) Branch</u></p> <p>Approximate Office Area: 16.64m x 15.25m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <table border="0"> <tr> <td>• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)</td> <td>2 pcs.</td> </tr> <tr> <td>• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)</td> <td>6 pcs.</td> </tr> <tr> <td colspan="2">NOTE: Cameras should be compatible with IVMS 4000 software</td> </tr> <tr> <td>• 16-Port Power over Ethernet (PoE) Switch</td> <td>1 pc.</td> </tr> <tr> <td>• 16-Channel NVR with 4TB HDD & Monitor</td> <td>1 pc.</td> </tr> <tr> <td colspan="2">NOTE: Please see attached specifications.</td> </tr> <tr> <td>• Cat5e UTP Cable</td> <td>305 m.</td> </tr> <tr> <td>• RJ45 Connector</td> <td>20 pcs.</td> </tr> <tr> <td>• Flexible PVC 3/4"</td> <td>150 m.</td> </tr> <tr> <td>• Straight Connector 3/4"</td> <td>10 pcs.</td> </tr> <tr> <td>• Masking Tape</td> <td>1 pc.</td> </tr> <tr> <td>• Electrical Tape</td> <td>1 pc.</td> </tr> <tr> <td>• Tie Wrap #10</td> <td>20 pcs.</td> </tr> </table>	• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)	2 pcs.	• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)	6 pcs.	NOTE: Cameras should be compatible with IVMS 4000 software		• 16-Port Power over Ethernet (PoE) Switch	1 pc.	• 16-Channel NVR with 4TB HDD & Monitor	1 pc.	NOTE: Please see attached specifications.		• Cat5e UTP Cable	305 m.	• RJ45 Connector	20 pcs.	• Flexible PVC 3/4"	150 m.	• Straight Connector 3/4"	10 pcs.	• Masking Tape	1 pc.	• Electrical Tape	1 pc.	• Tie Wrap #10	20 pcs.	<p>Bidders must state below either "Comply" or "Not Comply" against each of the individual parameters of each specification stating the corresponding performance parameter of the items offered.</p> <p>Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii)</p> <p>Please state here either "Comply" or "Not Comply"</p>
• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)	2 pcs.																										
• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)	6 pcs.																										
NOTE: Cameras should be compatible with IVMS 4000 software																											
• 16-Port Power over Ethernet (PoE) Switch	1 pc.																										
• 16-Channel NVR with 4TB HDD & Monitor	1 pc.																										
NOTE: Please see attached specifications.																											
• Cat5e UTP Cable	305 m.																										
• RJ45 Connector	20 pcs.																										
• Flexible PVC 3/4"	150 m.																										
• Straight Connector 3/4"	10 pcs.																										
• Masking Tape	1 pc.																										
• Electrical Tape	1 pc.																										
• Tie Wrap #10	20 pcs.																										

<ul style="list-style-type: none"> ● Plastic Moulding (1" x 8') ● Square Box with cover, 2" x 4" x 4" ● Junction Box 	<p>3 length 5 pcs. 5 pcs.</p>	<p>Please state here either "Comply" or "Not Comply"</p>
<p>II. <u>Guiuan (Eastern Samar) Branch</u></p> <p>Approximate Office Area: 10.0m x 17.85m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <p style="text-align: right;"><u>Quantity</u></p> <ul style="list-style-type: none"> ● Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) ● Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> ● 16-Port Power over Ethernet (PoE) Switch ● 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> ● Cat5e UTP Cable ● RJ45 Connector ● Flexible PVC ¾" ● Straight Connector ¾" ● Masking Tape ● Electrical Tape ● Tie Wrap #10 ● Plastic Moulding (1" x 8') ● Square Box with cover, 2" x 4" x 4" ● Junction Box 		
<p>III. <u>Calumpang (Gen. Santos City) Extension Office</u></p> <p>Approximate Office Area: 18.66m x 10.0m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <p style="text-align: right;"><u>Quantity</u></p> <ul style="list-style-type: none"> ● Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) ● Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> ● 16-Port Power over Ethernet (PoE) Switch ● 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> ● Cat5e UTP Cable ● RJ45 Connector ● Flexible PVC ¾" ● Straight Connector ¾" ● Masking Tape ● Electrical Tape ● Tie Wrap #10 		

<ul style="list-style-type: none"> • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	3 length 5 pcs. 5 pcs.	Please state here either "Comply" or "Not Comply"
IV. <u>Batasan Branch</u> Approximate Office Area: 14.81m x 11.17m Supply, Delivery, Installation and Activation of the following Additional CCTV Devices:	<u>Quantity</u>	
A. <u>Existing Devices:</u> <ul style="list-style-type: none"> ✓ Indoor IP Camera ✓ Outdoor IP Camera (Vandal Proof) 	5 units 1 unit	
B. <u>Additional Devices to be supplied:</u> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) 	pc. 1 pcs. 2	
NOTE: Cameras should be compatible with IVMS 4000 software		
<ul style="list-style-type: none"> • 16-Port Power over Ethernet (PoE) Switch • 16-Channel NVR with 4TB HDD & Monitor 	1 pc. 1 pc.	
NOTE: Please see attached specifications.		
<ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" • Masking Tape • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	305 m. 10 pcs. 150 m. 10 pcs. 1 pc. 1 pc. 20 pcs. 10 length 5 pcs. 5 pcs.	
V. <u>Quezon Avenue Branch</u> Approximate Office Area: 22.50m x 16.0m Supply, Delivery, Installation and Activation of the following Additional CCTV Devices:	<u>Quantity</u>	
A. <u>Existing Devices:</u> <ul style="list-style-type: none"> ✓ Indoor IP Camera ✓ Outdoor IP Camera (Vandal Proof) ✓ 16-Port PoE Switch ✓ 16-Channel NVR with 4TB HDD & Monitor 	6 units 1 unit 1 unit 1 unit	
B. <u>Additional Devices to be supplied:</u> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 	1 pc.	
NOTE: Cameras should be compatible with IVMS 4000 software		
<ul style="list-style-type: none"> • Cat5e UTP Cable • RJ45 Connector • Flexible PVC 3/4" • Straight Connector 3/4" 	305 m. 20 pcs. 150 m. 10 pcs.	

<ul style="list-style-type: none"> • Masking Tape 1 pc. • Electrical Tape 1 pc. • Tie Wrap #10 20 pcs. • Plastic Moulding (1" x 8') 10 length • Square Box with cover, 2" x 4" x 4" 5 pcs. • Junction Box 5 pcs. 		<p>Please state here either "Comply" or "Not Comply"</p>
<p>VI. <u>LEAF Project Site at Barotac Nuevo Local Government Unit c/o Iloilo Branch</u></p> <p>Approximate Office Area: 5.30m x 5.0m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <p style="text-align: right;"><u>Quantity</u></p> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 1 pc. • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) 2 pcs. <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 8-Port Power over Ethernet (PoE) Switch 1 pc. • 8-Channel NVR with 4TB HDD & Monitor 1 pc. <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable 100 m. • RJ45 Connector 6 pcs. • Flexible PVC ¾" 20 m. • Straight Connector ¾" 10 pcs. • Masking Tape 1 pc. • Electrical Tape 1 pc. • Tie Wrap #10 5 pcs. • Plastic Moulding (1" x 8') 3 length • Square Box with cover, 2" x 4" x 4" 5 pcs. • Junction Box 5 pcs. 		
<p>VII. <u>LEAF Project Site at Bago, Negros Occidental c/o Bacolod Branch</u></p> <p>Approximate Office Area: 3.86m x 7.48m</p> <p>Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <p style="text-align: right;"><u>Quantity</u></p> <ul style="list-style-type: none"> • Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 1 pc. • Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) 1 pc. <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> • 8-Port Power over Ethernet (PoE) Switch 1 pc. • 8-Channel NVR with 4TB HDD & Monitor 1 pc. <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> • Cat5e UTP Cable 100 m. • RJ45 Connector 6 pcs. • Flexible PVC ¾" 20 m. 		

<ul style="list-style-type: none"> • Straight Connector 3/4" • Masking Tape • Electrical Tape • Tie Wrap #10 • Plastic Moulding (1" x 8') • Square Box with cover, 2" x 4" x 4" • Junction Box 	<p>10 pcs. 1 pc. 1 pc. 5 pcs. 3 length 5 pcs. 5 pcs.</p>	<p>Please state here either "Comply" or "Not Comply"</p>
<p>Other Requirements:</p> <ol style="list-style-type: none"> 1. Compliance to the technical specifications per attached Annexes A & B. 2. Submission of brochures or any other documents indicating the technical specifications of the offered brand/model inside the eligibility/technical envelope. 		

Conforme:

Name of Bidder

Signature Over Printed Name of
Authorized Representative

Position

Form No. 2

SCHEDULE OF PRICES

1 Item No.	2 Item Description	3 Country of Origin	4 Quantity	5 Unit price EXW per item	6 Cost of local labor, raw material and component	7 Total price EXW per item (cols. 4 x 5)	8 Unit prices per item final destination and unit price of other incidental services	9 Sales and other taxes payable per item if Contract is awarded	10 Total Price delivered Final Destination (cols. 8 + 9) x 4
	One (1) Lot Supply, Delivery, Installation and Activation of CCTV Devices at the following Five (5) LANDBANK Offices and Two (2) LEAF Project Sites:	N/A		N/A	N/A	N/A			
	I. Janluay (Iloilo) Branch Approximate Office Area: 16.64m x 15.25m Supply, Delivery, Installation and Activation of the following CCTV Devices:								
	• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)		2 units						
	• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)		6 units						
	NOTE: Cameras should be compatible with IVMS 4000 software								
	• 16-Port Power over Ethernet (PoE) Switch		1 pc.						
	• 16-Channel NVR with 4TB HDD & Monitor.		1 pc.						
	NOTE: Please see attached specifications.								
	• Cat5e UTP Cable		305 meters						
	• RJ45 Connector		20 pcs.						
	• Flexible PVC 3/4"		150 meters						
	• Straight Connector 3/4"		10 pcs.						
	• Masking Tape		1 pc.						
	• Electrical Tape		1 pc.						

• Tie Wrap #10	20 pcs.						
• Plastic Moulding (1" x 8')	3 length						
• Square Box with cover, 2" x 4" x 4"	5 pcs.						
• Junction Box	5 pcs.						
Delivery Cost							
Installation Cost							
Sub-TOTAL							
II. <u>Guluan (Eastern Samar) Branch</u>							
Approximate Office Area: 10.0m x 17.85m							
Supply, Delivery, Installation and Activation of the following CCTV Devices:							
• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)	2 units						
• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)	6 units						
NOTE: Cameras should be compatible with IVMS 4000 software							
• 16-Port Power over Ethernet (PoE) Switch	1 pc.						
• 16-Channel NVR with 4TB HDD & Monitor	1 pc.						
NOTE: Please see attached specifications.							
• Cat5e UTP Cable	150 meters						
• RJ45 Connector	20 pcs.						
• Flexible PVC 3/4"	75 meters						
• Straight Connector 3/4"	10 pcs.						
• Masking Tape	1 pc.						
• Electrical Tape	1 pc.						
• Tie Wrap #10	20 pcs.						
• Plastic Moulding (1" x 8')	3 length						
• Square Box with cover, 2" x 4" x 4"	5 pcs.						
• Junction Box	5 pcs.						
Delivery Cost							
Installation Cost							
Sub-TOTAL							

<p>III. Calumpang (Gen. Santos City) Branch Approximate Office Area: 18.66m x 10.0m Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <ul style="list-style-type: none"> Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) Indoor Day/Night Dome CCD IP Camera. (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> 16-Port Power over Ethernet (PoE) Switch 16-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> Cat5e UTP Cable RJ45 Connector Flexible PVC 3/4" Straight Connector 3/4" Masking Tape Electrical Tape Tie Wrap #10 Plastic Moulding (1" x 8') Square Box with cover, 2" x 4" x 4" Junction Box <p>Delivery Cost Installation Cost Sub-TOTAL</p>																													
<p>IV. Batasan Branch Approximate Office Area: 14.81m x 11.17m Supply, Delivery, Installation and Activation of the following Additional CCTV Devices:</p> <p>A. Existing Devices:</p> <ul style="list-style-type: none"> Indoor IP Camera Outdoor IP Camera (Vandal Proof) 																													

B. Additional Devices to be supplied: <ul style="list-style-type: none"> ● Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) 1 unit ● Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) 2 units <p>NOTE: Cameras should be compatible with VMS 4000 software</p> <ul style="list-style-type: none"> ● 16-Port Power over Ethernet (PoE) Switch 1 pc. ● 16-Channel NVR with 4TB HDD & Monitor 1 pc. <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> ● Cat5e UTP Cable 305 meters ● RJ45 Connector 10 pcs. ● Flexible PVC 3/4" 150 meters ● Straight Connector 3/4" 10 pcs. ● Masking Tape 1 pc. ● Electrical Tape 1 pc. ● Tie Wrap #10 20 pcs. ● Plastic Moulding (1" x 8') 10 length ● Square Box with cover, 2" x 4" x 4" 5 pcs. ● Junction Box 5 pcs. <p>Installation Cost Sub-TOTAL</p>								
V. Quezon Avenue Branch Approximate Office Area: 22.50m x 16.0m Dismantling, Relocation and Reinstallation of Existing CCTV Surveillance System and Supply, Delivery, Installation and Activation of the following Additional CCTV Devices: A. Existing Devices: <ul style="list-style-type: none"> ✓ Indoor IP Camera 6 units ✓ Outdoor IP Camera (Vandal Proof) 1 unit ✓ 16-Port Power over Ethernet (PoE) Switch 1 unit ✓ 16-Channel NVR with 4TB HDD & Monitor 1 unit 								

	1 unit				
	305 meters				
	20 pcs.				
	150 meters				
	10 pcs.				
	1 pc.				
	1 pc.				
	20 pcs.				
	10 length				
	5 pcs.				
	5 pcs.				
	1 unit				
	2 units				
	1 pc.				
	1 pc.				
	100 meters				
	6 pcs.				
<p>B. Additional Devices to be supplied:</p> <ul style="list-style-type: none"> Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> Cat5e UTP Cable RJ45 Connector Flexible PVC 3/4" Straight Connector 3/4" Masking Tape Electrical Tape Tie Wrap #10 Plastic Moulding (1" x 8') Square Box with cover, 2" x 4" x 4" Junction Box <p>Dismantling Cost</p> <p>Installation Cost</p> <p>Sub-TOTAL</p>	<p>VI. LEAF Project at Barotac Nuevo Local Government Unit c/o LANDBANK Iloilo Branch Approximate Office Area: 5.30m x 5.0m Supply, Delivery, Installation and Activation of the following CCTV Devices:</p> <ul style="list-style-type: none"> Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution) Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution) <p>NOTE: Cameras should be compatible with IVMS 4000 software</p> <ul style="list-style-type: none"> 8-Port Power over Ethernet (PoE) Switch 8-Channel NVR with 4TB HDD & Monitor <p>NOTE: Please see attached specifications.</p> <ul style="list-style-type: none"> Cat5e UTP Cable RJ45 Connector 				

• Flexible PVC 3/4"	20 meters					
• Straight Connector 3/4"	10 pcs.					
• Masking Tape	1 pc.					
• Electrical Tape	1 pc.					
• Tie Wrap #10	5 pcs.					
• Plastic Moulding (1" x 8')	3 length					
• Square Box with cover, 2" x 4" x 4"	5 pcs.					
• Junction Box	5 pcs.					
• Delivery Cost						
• Installation Cost						
• Sub-TOTAL						
VII. LEAF Project at Bago, Negros Occidental c/o LANDBANK Bacolod Branch Approximate Office Area: 3.86m x 7.48m Supply, Delivery, Installation and Activation of the following CCTV Devices:						
• Outdoor Vandal Proof, Weather Proof, Dust Proof, IP66 Splash Dome CCD IP Camera (2.0 MP or higher resolution)	1 unit					
• Indoor Day/Night Dome CCD IP Camera, (2.0 MP or higher resolution)	1 unit					
NOTE: Cameras should be compatible with IVMS 4000 software						
• 8-Port Power over Ethernet (PoE) Switch	1 pc.					
• 8-Channel NVR with 4TB HDD & Monitor	1 pc.					
NOTE: Please see attached specifications.						
• Cat5e UTP Cable	100 meters					
• RJ45 Connector	6 pcs.					
• Flexible PVC 3/4"	20 meters					
• Straight Connector 3/4"	10 pcs.					
• Masking Tape	1 pc.					
• Electrical Tape	1 pc.					
• Tie Wrap #10	5 pcs.					
• Plastic Moulding (1" x 8')	3 length					

• Square Box with cover, 2' x 4" x 4"	5 pcs.							
• Junction Box	5 pcs.							
Delivery Cost								
Installation Cost								
Sub-TOTAL								
TOTAL COST								

Name of Bidder

Signature over Printed Name of
Authorized Representative

Position

8. The prospective bidder's computation for its Net Financial Contracting Capacity (sample form - Form No. 5)

Class "B" Document

9. Valid joint venture agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful shall be included in the bid. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security. Each partner of the joint venture shall submit the legal eligibility documents. The submission of technical and financial eligibility documents by any of the joint venture partners constitutes compliance.
10. Bid security in the prescribed form, amount and validity period (ITB Clause 18.1 of the Bid Data Sheet);
11. **Revised Schedule VI - Schedule of Requirements with signature of bidder's authorized representative.**
12. **Revised Section VII - Technical Specifications with response on compliance and signature of bidder's authorized representative.**
13. Duly notarized Omnibus Sworn Statement (sample form - Form No.6).
14. Duly notarized Secretary's Certificate attesting that the signatory is the duly authorized representative of the prospective bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the prospective bidder in the bidding, if the prospective bidder is a corporation, partnership, cooperative, or joint venture (sample form - Form No. 7).

The SECOND ENVELOPE shall contain the following (Section 25.3):

1. Duly filled out Bid Form signed by the bidder's authorized representative (sample form - Form No.1)
2. **Duly filled out Revised Schedule of Prices signed by the bidder's authorized representative (sample form - Form No.2)**