


**NOTES:**



- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**


- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - GLASS PANEL (TOP-PANEL)
- 04 - FABRIC PANEL (MID-PANEL)
- 05 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 06 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 07 - METAL IN AND OUT TRAYS
- 08 - END SUPPORT PANEL
- 09 - CORNER CONNECTOR POST
- 10 - BASE COVER / RACEWAY
- 11 - GROMMET CAP
- 12 - HANG SHELF WITH TASK LIGHT
- 13 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 14 - CONVENIENCE OUTLET




D-15

	<b>LAND BANK OF THE PHILIPPINES</b> <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b> 1508 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA	TITLE: <b>DIVISION CHIEF WORKSTATION</b> LANDBANK STANDARD DETAILS & SPECIFICATIONS	RECOMMENDING APPROVAL:  ENRICO D.J. SAMANIEGO HEAD, PMED	DESIGN: TSU-PMED DRAWN: TSU-PMED DATE: JULY 2020 REVIEWED: J MISLANG DATE:	SHEET NO: <b>DW</b> <b>4 OF 5</b>


**DESCRIPTIONS**




IN AND OUT TRAYS




GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GLIDES



RACEWAY



HANGING SHELVES WITH TASK LIGHT

**ACCESSORIES**

- PANEL SYSTEM:**  
 -FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS.
- HEIGHT:**  
 -OVER-ALL PANEL HEIGHT SHALL BE 1700mm. (SEE ATTACHED LAYOUT)
- WIDTH:**  
 -WIDTH RANGING FROM 600mm, 750mm, 900mm, 1000mm and 1800mm. (SEE ATTACHED LAYOUT)
- THICKNESS:**  
 -PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 62.5mm THK TO 75mm THK.
- GLASS (TOP PANEL):**  
 -DOUBLE GLASS WALL SHALL BE 6mm THK TEMPERED WITH 50mm THK ALUM. FRAME ON POWDER COATED FINISH.  
 -ASSEMBLED THROUGH CLIP-ON CONNECTION.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- FABRIC (TOP/MID PANEL):**  
 -PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE.  
 -ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 6mm THK MDF TILE BACKING.  
 -FABRIC COLOR : GRAY (SUBJECT FOR APPROVAL)
- PERFORATED METAL (BOTTOM PANEL):**  
 -METAL PANEL SHALL BE GA. 18 METAL SHEET ON POWDER COATED FINISH.  
 -PANEL COLOR : GRAY (SUBJECT FOR APPROVAL)
- FRAMES:**  
 -FRAMES SHALL BE GA. 18 (MIN) COLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH.  
 -FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- CAPPING AND END TRIMS:**  
 -CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH.  
 -PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- METAL GRILLE PANEL:**  
 -PANEL SHALL BE GA. 18 (MIN) COLD ROLLED SHEET ON POWDER COATED FINISH.  
 -PROVIDE SLOTS FOR IN AND OUT TRAYS.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- RACEWAY:**  
 -SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES.  
 -RACEWAY HEIGHT RANGING FROM 150mm TO 200mm.  
 -INCLUDE PROVISIONS FOR TWO (2) UNIVERSAL CONVENIENCE OUTLETS, ONE (1) DATA OUTLET, AND ONE (1) SPARE OUTLET FOR EVERY PANEL.
- IN AND OUT TRAYS:**  
 -TRAYS SHALL BE GA. 18 COLD ROLLED METAL SHEET ON POWDER COATED FINISH.  
 -TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- WORK SURFACE:**  
 -32mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES  
 -COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)
- HANGING SHELVES:**  
 -GA 18 FORMED STEEL FULLY WELDED ASSEMBLY ON POWDER COATED FINISH  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- TASK LIGHT:**  
 -UNDER SHELF TASK LIGHT WITH COMPLETE ACCESSORIES, COVER AND ELECTRICAL WORKS

D-16



**LAND BANK OF THE PHILIPPINES  
 PROJECT MANAGEMENT & ENGINEERING DEPT.**

1508 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA


TITLE:	RECOMMENDING APPROVAL:
DIVISION CHIEF WORKSTATION	<i>[Signature]</i> ENRICO D.J. SAMANILLO HEAD, PMED
LANDBANK STANDARD DETAILS & SPECIFICATIONS	

DESIGN:	TSU-PMED	SHEET NO:
DRAWN:	TSU-PMED	<b>DW 5 OF 5</b>
DATE:	JULY 2020	
REVIEWED:	J.MISLANG	
DATE:		


**CLASS D**

**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST ANY DEFECT IN PRODUCT AND WORKMANSHIP.



**PERSPECTIVE**



**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET

D-17



**LAND BANK OF THE PHILIPPINES  
PROJECT MANAGEMENT & ENGINEERING DEPT.**  
1598 M.H. DEL PILAR ST. CORNER DR. QUINTOS ST. MALATE MANILA

**TITLE:**  
**CLERICAL WORKSTATION**  
LANDBANK STANDARD DETAILS & SPECIFICATIONS

**RECOMMENDING APPROVAL:**  
*[Signature]*  
ENRICO D.J. SAMANIEGO  
HEAD, PMED

**DESIGN:** TSU-PMED  
**DRAWN:** TSU-PMED  
**DATE:** JULY 2020  
**REVIEWED:** J. MISLANG  
**DATE:**


**SHEET NO:**  
**CW  
10F4**

**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST ANY DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**



- |  |  |
|--|--|
| 01 - ALUMINUM TOP / END CAP                    | 07 - END SUPPORT PANEL                 |
| 02 - WORK TOP / COUNTER TOP                    | 08 - CORNER CONNECTOR POST             |
| 03 - FABRIC PANEL (MID-PANEL)                  | 09 - BASE COVER / RACEWAY              |
| 04 - PERFORATED METAL PANEL (BOTTOM PANEL)     | 10 - GROMMET CAP                       |
| 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS) | 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES |
| 06 - METAL IN AND OUT TRAYS                    | 12 - CONVENIENCE OUTLET                |



**FRONT**

**LEFT SIDE**

D-16


	<b>LAND BANK OF THE PHILIPPINES</b> <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b> 1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
		CLERICAL WORKSTATION	 ENRICO D.J. SAMANEGO HEAD, PMED	DRAWN: TSU-PMED	<b>CW</b> <b>2 OF 4</b>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS		DATE: JULY 2020	
				REVIEWED: J. MISLANG	
		DATE:			

**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST ANY DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**


- |  |  |
|--|--|
| 01 - ALUMINUM TOP / END CAP                    | 07 - END SUPPORT PANEL                 |
| 02 - WORK TOP / COUNTER TOP                    | 08 - CORNER CONNECTOR POST             |
| 03 - FABRIC PANEL (MID-PANEL)                  | 09 - BASE COVER / RACEWAY              |
| 04 - PERFORATED METAL PANEL (BOTTOM PANEL)     | 10 - GROMMET CAP                       |
| 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS) | 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES |
| 06 - METAL IN AND OUT TRAYS                    | 12 - CONVENIENCE OUTLET                |




D-19

	<p align="center"><b>LAND BANK OF THE PHILIPPINES</b>  <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b>                  1508 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA</p>	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
		CLERICAL WORKSTATION	 ENRICO D.J. SAMALINSO HEAD, PMED	DRAWN: TSU-PMED	<p align="center"><b>CW</b> <b>3 OF 4</b></p>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS	DATE: JULY 2020		
	REVIEWED: J. MISLANG				
			DATE:		


**DESCRIPTIONS**




IN AND OUT TRAYS



GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GLIDES



RACEWAY

**ACCESSORIES**


- PANEL SYSTEM:
  - FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS.
- HEIGHT:
  - OVER-ALL PANEL HEIGHT SHALL BE 1100mm. (SEE ATTACHED LAYOUT)
- WIDTH:
  - WIDTH RANGING FROM 600mm, 750mm, and 1500mm. (SEE ATTACHED LAYOUT)
- THICKNESS:
  - PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 62.5mm THK TO 75mm THK.
- FABRIC (TOP/MID PANEL):
  - PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE.
  - ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 6mm THK MDF TILE BACKING.
  - FABRIC COLOR: GRAY (SUBJECT FOR APPROVAL)
- PERFORATED METAL (BOTTOM PANEL):
  - METAL PANEL SHALL BE GA. 18 METAL SHEET ON POWDER COATED FINISH.
  - PANEL COLOR: GRAY (SUBJECT FOR APPROVAL)
- FRAMES:
  - FRAMES SHALL BE GA. 18 (MIN) COLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH.
  - FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS.
  - COLOR: GRAY (SUBJECT FOR APPROVAL)
- CAPPING AND END TRIMS:
  - CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH.
  - PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS.
  - COLOR: GRAY (SUBJECT FOR APPROVAL)
- METAL GRILLE PANEL:
  - PANEL SHALL BE GA. 18 (MIN) COLD ROLLED SHEET ON POWDER COATED FINISH.
  - PROVIDE SLOTS FOR IN AND OUT TRAYS.
  - COLOR: GRAY (SUBJECT FOR APPROVAL)
- RACEWAY:
  - SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES.
  - RACEWAY HEIGHT RANGING FROM 150mm TO 200mm.
  - INCLUDE PROVISIONS FOR TWO (2) UNIVERSAL CONVENIENCE OUTLETS, ONE (1) DATA OUTLET AND ONE (1) SPARE OUTLET FOR EVERY PANEL.
- IN AND OUT TRAYS:
  - TRAYS SHALL BE GA. 18 COLD ROLLED METAL SHEET ON POWDER COATED FINISH.
  - TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME.
  - COLOR: GRAY (SUBJECT FOR APPROVAL)
- WORK SURFACE:
  - 32mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES
  - COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)

D-20


	<b>LAND BANK OF THE PHILIPPINES</b> <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b> 1508 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST. MALATE MANILA	TITLE: <b>CLERICAL WORKSTATION</b>	RECOMMENDING APPROVAL:  EUSEBIO J. SAMANIEGO HEAD, PMED	DESIGN: TSU-PMED DRAWN: TSU-PMED DATE: JULY 2020 REVIEWED: J. MISLANG DATE:	SHEET NO: <b>CW</b> <b>4 OF 4</b>
	LANDBANK STANDARD DETAILS & SPECIFICATIONS				

**NOTES:**


- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB
- DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
- SUPPLIER SHALL SUBMIT SHOP DRAWINGS TO PMED FOR APPROVAL PRIOR TO FABRICATION
- SUPPLIER TO COORDINATE WITH THE END-USER ON THE SCHEDULE OF MOBILIZATION/ DELIVERY.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.




**PERSPECTIVE**




**FRONT**




**LEFT SIDE**



**PLAN**



**REAR**



**RIGHT SIDE**

**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (TOP PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN-AND-OUT TRAYS)
- 06 - METAL IN-AND-OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - BASE COVER / RACEWAY
- 09 - GROMMET CAP
- 10 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 11 - PROVISION FOR CONVENIENCE DATA AND SPARE OUTLET
- 12 - MODESTY PANEL

D-21


	<b>LAND BANK OF THE PHILIPPINES</b> <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b> 1568 M H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA	TITLE: <b>CLERICAL WORKSTATION</b> <b>1.5 M</b> <b>(CUSTOMIZED)</b>	RECOMMENDING APPROVAL:  ENGR. CO. J. SAMAME DO HEAD, PMED	DESIGN: TSU-PMED DRAWN: NESS DATE: JULY 2020 REVIEWED: J. MISLANG DATE:	SHEET NO: <b>CW1.5</b> <b>1 OF 2</b>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS			

**NOTES:**


- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
- SUPPLIER SHALL SUBMIT SHOP DRAWINGS TO PMED FOR APPROVAL PRIOR TO FABRICATION.
- SUPPLIER TO COORDINATE WITH THE END-USER ON THE SCHEDULE OF MOBILIZATION/ DELIVERY.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

**DESCRIPTIONS**


- PANEL SYSTEM:**  
 -FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS.
- HEIGHT:**  
 -OVER-ALL PANEL HEIGHT SHALL BE 1100mm. (SEE ATTACHED LAYOUT)
- WIDTH:**  
 -WIDTH RANGING FROM 600mm and 1000mm. (SEE ATTACHED LAYOUT)
- THICKNESS:**  
 -PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 62.5mm THK TO 75mm THK.
- FABRIC (TOP PANEL):**  
 -PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE.  
 -ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 6mm THK MDF TILE BACKING.  
 -FABRIC COLOR : GRAY (SUBJECT FOR APPROVAL)
- PERFORATED METAL (BOTTOM PANEL):**  
 -METAL PANEL SHALL BE GA. 18 METAL SHEET ON POWDER COATED FINISH.  
 -PANEL COLOR : GRAY (SUBJECT FOR APPROVAL)
- FRAMES:**  
 -FRAMES SHALL BE GA. 18 (MIN) COLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH.  
 -FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS.  
 -COLOR: GRAY (SUBJECT FOR APPROVAL)
- CAPPING AND END TRIMS:**  
 -CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH.  
 -PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS.  
 -COLOR : GRAY (SUBJECT FOR APPROVAL)
- RACEWAY:**  
 -SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES.  
 -RACEWAY HEIGHT RANGING FROM 150mm TO 200mm.  
 -INCLUDE PROVISIONS FOR TWO (2) UNIVERSAL CONVENIENCE OUTLETS, ONE (1) DATA OUTLET AND ONE (1) SPARE OUTLET FOR EVERY PANEL.
- WORK SURFACE:**  
 -32mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES  
 -COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)



GROMMET CAP





RACEWAY



HEAVY DUTY ADJUSTABLE FOOT GLIDES

**ACCESSORIES**


D-22

	<p align="center"><b>LAND BANK OF THE PHILIPPINES</b>  <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b></p> <p align="center">1500 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA</p>	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
		CLERICAL WORKSTATION 1.5 M (CUSTOMIZED)	 ENGR. D.J. SAMANIEGO HEAD, PMED	DRAWN: NISS	<p align="center"><b>CW1.2</b> <b>2 OF 2</b></p>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS		DATE: JULY 2020	
				REVIEWED: J. MISLANG	
			DATE:		




**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



**PERSPECTIVE**



**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET

**PLAN**

**CLASS D**

D-23



**LAND BANK OF THE PHILIPPINES  
PROJECT MANAGEMENT & ENGINEERING DEPT.**  
1598 M. H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA

TITLE:  
**EA WORKSTATION  
(TYPE 1)**  
LANDBANK STANDARD DETAILS & SPECIFICATIONS

RECOMMENDING APPROVAL:  
*[Signature]*  
**FRANCISCO D.J. SAMAYOGO**  
HEAD, PMED

DESIGN: TSU-PMED  
DRAWN: TSU-PMED  
DATE: JULY 28/20  
REVIEWED: J. MISLANG  
DATE:


SHEET NO:  
**EW  
10F5**

**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET



**FRONT**

D-24


	<p><b>LAND BANK OF THE PHILIPPINES</b>  <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b>                  1508 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA</p>	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
		EA WORKSTATION (TYPE 1)	58  FRANCISCO D.J. SAMAMEGO HEAD, PMED	DRAWN: TSU-PMED	<p><b>EW</b> <b>2 OF 5</b></p>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS	DATE: JULY 2020		
			REVIEWED: J. MISLANG		
			DATE:		

**NOTES:**


- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**

- |  |  |
|--|--|
| 01 - ALUMINUM TOP / END CAP                    | 07 - END SUPPORT PANEL                 |
| 02 - WORK TOP / COUNTER TOP                    | 08 - CORNER CONNECTOR POST             |
| 03 - FABRIC PANEL (MID-PANEL)                  | 09 - BASE COVER / RACEWAY              |
| 04 - PERFORATED METAL PANEL (BOTTOM PANEL)     | 10 - GROMMET CAP                       |
| 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS) | 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES |
| 06 - METAL IN AND OUT TRAYS                    | 12 - CONVENIENCE OUTLET                |



P-25


 <p><b>LAND BANK OF THE PHILIPPINES</b> PROJECT MANAGEMENT &amp; ENGINEERING DEPT. 1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA</p>	<p>TITLE:</p> <p><b>EA WORKSTATION (TYPE 1)</b></p>	<p>RECOMMENDING APPROVAL:</p> <p><i>[Signature]</i> ENRICO J. SAMANAGO HEAD, PMED</p>	<p>DESIGN: TSU-PMED</p> <p>DRAWN: TSU-PMED</p> <p>DATE: JULY 2020</p> <p>REVIEWED: J. MISLANG</p> <p>DATE:</p>	<p>SHEET NO:</p> <p><b>EW 3 OF 5</b></p>
	<p>LANDBANK STANDARD DETAILS &amp; SPECIFICATIONS</p>			

**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET



**REAR**

D-26




**LAND BANK OF THE PHILIPPINES**  
**PROJECT MANAGEMENT & ENGINEERING DEPT.**  
 1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA

TITLE:	RECOMMENDING APPROVAL:
EA WORKSTATION (TYPE 1)	<i>[Signature]</i> FRANCISCO D.J. SAMANIEGO HEAD, PMED
LANDBANK STANDARD DETAILS & SPECIFICATIONS	


DESIGN:	TSU-PMED
DRAWN:	TSU-PMED
DATE:	JULY 2020
REVIEWED:	J. MISLANG
DATE:	

SHEET NO:	<b>EW</b> <b>4 OF 5</b>
-----------	----------------------------


**DESCRIPTIONS**




IN AND OUT TRAYS




GROMMET CAP



HEAVY DUTY ADJUSTABLE FOOT GLIDES



RACEWAY





RECEIVING COUNTER

- PANEL SYSTEM:**
  - FOR SEGMENTED AND COMPOSITE PANELS INCLUDING THE ELECTRICAL AND DATA PORT ACCESS.
- HEIGHT:**
  - OVER-ALL PANEL HEIGHT SHALL BE 1100mm. (SEE ATTACHED LAYOUT)
- WIDTH:**
  - WIDTH RANGING FROM 600mm, 750mm, and 1500mm. (SEE ATTACHED LAYOUT)
- THICKNESS:**
  - PANEL THICKNESS SHALL BE GA. 16 COLD ROLLED METAL WITH A MINIMUM OF 62.5mm THK TO 75mm THK.
- FABRIC (TOP/MID PANEL):**
  - PANEL FABRIC SURFACE AREA SHOULD BE REMOVABLE AND CAN FIT BACK IN PLACE.
  - ASSEMBLED THROUGH CLIP-ON CONNECTION WITH 6mm THK MDF TILE BACKING.
  - FABRIC COLOR : GRAY (SUBJECT FOR APPROVAL)
- PERFORATED METAL (BOTTOM PANEL):**
  - METAL PANEL SHALL BE GA. 18 METAL SHEET ON POWDER COATED FINISH.
  - PANEL COLOR : GRAY (SUBJECT FOR APPROVAL)
- FRAMES:**
  - FRAMES SHALL BE GA. 18 (MIN) COLD ROLLED SHEET WITH NON-CORROSIVE PAINT FINISH.
  - FABRICATION SHALL BE LIGHTWEIGHT WITH FINE DETAILS.
  - COLOR: GRAY (SUBJECT FOR APPROVAL)
- CAPPING AND END TRIMS:**
  - CAPPING SHALL BE ALUMINUM ON POWDER COATED FINISH.
  - PROVIDE HEAVY DUTY FOOT GLIDES FOR ALL PARTITIONS.
  - COLOR : GRAY (SUBJECT FOR APPROVAL)
- METAL GRILLE PANEL:**
  - PANEL SHALL BE GA. 18 (MIN) COLD ROLLED SHEET ON POWDER COATED FINISH.
  - PROVIDE SLOTS FOR IN AND OUT TRAYS.
  - COLOR : GRAY (SUBJECT FOR APPROVAL)
- RACEWAY:**
  - SHOULD BE ABLE TO ACCOMMODATE A MAXIMUM OF TEN (10) WIRES AND TEN (10) CABLES.
  - RACEWAY HEIGHT RANGING FROM 150mm TO 200mm.
  - INCLUDE PROVISIONS FOR TWO (2) UNIVERSAL CONVENIENCE OUTLETS, ONE (1) DATA OUTLET, AND ONE (1) SPARE OUTLET FOR EVERY PANEL.
- IN AND OUT TRAYS:**
  - TRAYS SHALL BE GA. 18 COLD ROLLED METAL SHEET ON POWDER COATED FINISH.
  - TRAY SLOTS TO BE FIRMLY ATTACHED TO METAL GRILLE FRAME.
  - COLOR : GRAY (SUBJECT FOR APPROVAL)
- WORK SURFACE:**
  - 32mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES
  - COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)
- RECEIVING COUNTER:**
  - 32mm THK MDF, HDF OR EQUIVALENT WITH 1.5mm THK HIGH PRESSURE LAMINATE (HPL) WITH T-MOULDING EDGES
  - COLOR: LIGHT BEIGE (SUBJECT FOR APPROVAL)

**ACCESSORIES**

D-27

 <p><b>LAND BANK OF THE PHILIPPINES</b> PROJECT MANAGEMENT &amp; ENGINEERING DEPT. 1508 M H. DEL PILAR ST. CORNER DR. QUINTOS ST. MALATE MANILA</p>	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
	EA WORKSTATION (TYPE 1)	 EUSEBIO U. SAMANIEGO HEAD, PMED	DRAWN: TSU-PMED	<b>EW 5 OF 5</b>
	LANDBANK STANDARD DETAILS & SPECIFICATIONS		DATE: JULY 2020	
		REVIEWED: J. MISLANG		
			DATE:	


**NOTES:**

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.


**CLASS D**

**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET



**PERSPECTIVE**



**PLAN**

D28



**LAND BANK OF THE PHILIPPINES  
PROJECT MANAGEMENT & ENGINEERING DEPT.**

1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA

TITLE:

**EA WORKSTATION  
(TYPE 2)**

LANDBANK STANDARD DETAILS & SPECIFICATIONS

RECOMMENDING APPROVAL:

*Enrico D. Samanero*  
ENRICO D. SAMANERO  
HEAD, PMED

DESIGN: TSU-PMED

DRAWN: TSU-PMED

DATE: JULY 2020

CHECKED: J. MISLANG

DATE:

SHEET NO:


**EW  
1 OF 4**

**NOTES:**


- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT FIVE (5) YEARS WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.

**SPECIFICATIONS:**

- 01 - ALUMINUM TOP / END CAP
- 02 - WORK TOP / COUNTER TOP
- 03 - FABRIC PANEL (MID-PANEL)
- 04 - PERFORATED METAL PANEL (BOTTOM PANEL)
- 05 - METAL GRILLE PANEL (FOR IN AND OUT TRAYS)
- 06 - METAL IN AND OUT TRAYS
- 07 - END SUPPORT PANEL
- 08 - CORNER CONNECTOR POST
- 09 - BASE COVER / RACEWAY
- 10 - GROMMET CAP
- 11 - HEAVY DUTY ADJUSTABLE FOOT GLIDES
- 12 - CONVENIENCE OUTLET





**FRONT**



**LEFT SIDE**

*D-29*

	<b>LAND BANK OF THE PHILIPPINES</b> <b>PROJECT MANAGEMENT &amp; ENGINEERING DEPT.</b> 1598 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA	TITLE:	RECOMMENDING APPROVAL:	DESIGN: TSU-PMED	SHEET NO:
		EA WORKSTATION (TYPE 2)	 ENRICO D.J. SAMANIEGO HEAD, PMED	DRAWN: TSU-PMED	<b>EA</b> <b>2 OF 4</b>
		LANDBANK STANDARD DETAILS & SPECIFICATIONS		DATE: JULY 2020	
				CHECKED: J. MISLANG	
			DATE:		