

SUPPLEMENTAL/BID BULLETIN NO. 2 For LBP-HOBAC-FRA-GS-20210611-03

PROJECT

Office Furniture for Nine (9) LANDBANK Branches

IMPLEMENTOR

Procurement Department

DATE

October 1, 2021

This Supplemental/Bid Bulletin is issued to modify, amend and/or clarify certain items in the Bid Documents. This shall form an integral part of the Bid Documents.

Modifications, amendments and/or clarifications:

- The bidder/s are encouraged to use the Bid Securing Declaration as Bid Security.
- 2) The Terms of Reference (Annexes D1 to D42), Technical Specifications (Section VII), and Checklist of Bidding Documents (Item No. 12 of the Eligibility & Technical Components) have been revised. Please see attached revised Annexes D-1 to D-42 and specific sections of the Bidding Documents.
- The deadline for submission of electronic bids for the above project is re-scheduled on October 8, 2021 at 10:00 A.M. Submission of physical bids (hard copy) shall not be accepted.

ATTY: HOMORIO T. DIAZ, JR. Heart HOBAC Secretariat **Technical Specifications**

Specifications

Statement of Compliance

Bidders must state below either "Comply" or "Not Comply" against each of the individual parameters of each Specification preferably stating the corresponding performance parameter of the product offered.

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature. unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

Office Furniture for Nine (9) LANDBANK Branches

- Terms of Reference and specifications per attached Revised Annexes D-1 to D-42.
- The following documents shall be submitted in support of the compliance of the Bid to the technical specifications and other requirements:
 - 2.1 List of at least five (5) most recent completed projects in the Philippines for the last three (3) years indicating the name of the projects with complete address and contact details supported by copies of Contract Agreement and/or Purchase Order from said clients for each completed project.
 - 2.2 LTO Official Receipt (OR) and Certificate of Registration (CR) or other documents showing proof of ownership of the vehicle.

Please state here either "Comply" or "Not Comply"

- 2.3 Brochures or other official documents coming from the manufacturer indicating the complete specifications of the offered systems furniture.
- 2.4 Detailed drawings printed on the supplier's official letterhead and signed by authorized representative to include the following (per item/type of unit) for post qualification evaluation:
 - 2.4.1. Model Name and Type
 - 2.4.2. Perspective/Photo of the item
 - 2.4.3. Drawing/Sketch views with dimensions/measurements (Plan/Top View, Front Elevation, Right Elevation, Rear Elevation).
 - 2.4.4. Complete description of the items including parts and components
- 2.5 For new suppliers/bidders, submit material samples of the parts/components of the items and mock-up unit as basis in the post qualification evaluation.
 - 2.5.1. Material samples shall be submitted within three (3) calendar days upon receipt of request from PMED.
 - 2.5.2. Mock-up unit shall be submitted within fourteen (14) calendar days upon receipt of request from PMED.

Non-submission of the abovementioned documents/requirements may result in bidder's postdisqualification.

Conforme:	
-	Name of Bidder
	Signature over Printed Name of Authorized Representative
	Position

Checklist of Bidding Documents for Procurement of Goods and Services

The documents for each component should be arranged as per this Checklist. Kindly provide guides or dividers with appropriate labels.

Eligibility and Technical Components (PDF File)

- The Eligibility and Technical Component shall contain documents sequentially arranged as follows:
 - Eligibility Documents Class "A"

Legal Eligibility Documents

- Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or all of the following:
 - Registration Certificate from Securities and Exchange Commission (SEC),
 Department of Trade and Industry (DTI) for sole proprietorship, or
 Cooperative Development Authority (CDA) for cooperatives, or any proof of
 such registration as stated in the Bidding Documents;
 - Valid and current mayor's/business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or equivalent document for Exclusive Economic Zones or Areas.
 - In cases of recently expired Mayor's/Business permits, it shall be accepted together with the official receipt as proof that the bidder has applied for renewal within the period prescribed by the concerned local government unit: Provided, That the renewed permit shall be submitted as a post-qualification requirement in accordance with Section 34.2 of this IRR; and
 - Tax Clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Eligibility Documents

Duly notarized Secretary's Certificate attesting that the signatory is the duly authorized representative of the prospective bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the prospective bidder in the bidding, if the prospective bidder is a corporation, partnership, cooperative, or joint venture or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. (sample form Form No. 7).

- 4 Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid, within the last five (5) years from the date of submission and receipt of bids. The statement shall include all information required in the sample form (Form No. 3).
- 5 Statement of the prospective bidder identifying its Single Largest Completed Contract (SLCC) similar to the contract to be bid within the relevant period as provided in the Bidding Documents. The statement shall include all information required in the sample form (Form No. 4).

Financial Eligibility Documents

- The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.
- 7 The prospective bidder's computation for its Net Financial Contracting Capacity (NFCC) following the sample form (Form No. 5), or in the case of Procurement of Goods, a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Eligibility Documents – Class "B"

- Duly signed valid joint venture agreement (JVA), in case the joint venture is already in existence. In the absence of a JVA, duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful shall be included in the bid. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security. Each partner of the joint venture shall submit its legal eligibility documents. The submission of technical and financial eligibility documents by any of the joint venture partners constitutes compliance, provided, that the partner responsible to submit the NFCC shall likewise submit the statement of all its ongoing contracts and Audited Financial Statements.
- 9 For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos, Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- 10 Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Technical Documents

- 10. Bid Security (if in the form of a Surety Bond, submit also a certification issued by the Insurance Commission).
- Section VI Schedule of Requirements with signature of bidder's authorized representative.
- 12. Revised Section VII Specifications with response on compliance and signature of bidder's authorized representative.
- 13. Duly notarized Omnibus Sworn Statement (OSS) (sample form Form No.6).
- Post-Qualification Documents [The bidder may submit the following documents within five (5) calendar days after receipt of Notice of Post-Qualification]:
 - 14. Business Tax Returns per Revenue Regulations 3-2005 (BIR No.2550 Q) VAT or Percentage Tax Returns for the last two (2) quarters filed manually or through EFPS.
 - 15. Latest Income Tax Return filed manually or through EFPS.
 - 16. Original copy of Bid Security (if in the form of a Surety Bond, submit also a certification issued by the Insurance Commission).
 - 17. Original copy of duly notarized Omnibus Sworn Statement (OSS) (sample form Form No.6).

Financial Component (PDF File)

- The Financial Component shall contain documents sequentially arranged as follows:
 - 1. Duly filled out Bid Form signed by the Bidder's authorized representative (sample form Form No.1).
 - 2. Duly filled out Schedule of Prices signed by the Bidder's authorized representative (sample form Form No.2).
 - 3. Dully filled out Bill of Quantities Form (Annexes E-1 to E-9) signed by the Bidder's authorized representative.

TERMS OF REFERENCE

SUPPLY, DELIVERY AND INSTALLATION OF OFFICE FURNITURE (TELLER'S CAGE / NEW ACCOUNTS COUNTER / GUARD'S PODIUM / SLIP WRITING COUNTER AND SANDBOX)

QUALIFICATIONS		DOCUMENTARY REQUIREMENTS	
1.	A recognized furniture company, duly organized under the laws of the Philippines	Certified photocopy of Certificate of Incorporation of the Company/ SEC Registration/ DTI Registration or valid PhilGEPS Registration (Platinum Membership)	
2.	The furniture company must have at least three (3) years of experience in the fabrication/ supply, delivery and installation of office furniture - preferably banks - with at least five (5) completed projects/ contracts in the Philippines	List of at least five (5) most recent completed projects in the Philippines for the last three (3) years indicating the name of the projects with complete address and contact details, with corresponding copy of Contract Agreement and/or Purchase Order from said clients for each completed project.	
3.	Must have a at least one (1) service delivery vehicle (preferably enclosed elf truck or pick-up)	a. LTO Official Receipt (OR) and Certificate of Registration (CR), b. Other documents showing proof of ownership of the vehicle	
		 a. Product Brochures or other official documents b. Detailed drawings printed on the supplier's official letterhead and signed by authorized representative to include the following (per item/ type of unit) for post qualification evaluation: 	
4.	The bidder must have brochures or official documents from the manufacturer indicating the complete specifications of the item.	 Model Name and Type Perspective/ Photo of the item Drawing/ sketch views with dimensions/ measurements (Plan/ Top View, Front Elevation, Right Elevation, Left Side Elevation, Rear Elevation) 	
		 Complete description of the items including parts and components 	

	a For new suppliers: submit material samples of the parts/ components of the items and mock-up unit as basis in the post qualification evaluation.
	Material samples shall be submitted within three (3) calendar days upon receipt of request from PMED Mock-up unit shall be submitted within fourteen (14) calendar days upon receipt of request from PMED
 The bidder must provide the following Technical documents 	b. List of at least five (5) different clients (with contact persons, numbers and addresses) with whom the supplier has previously completed projects/contracts from the last three (3) years.
	c. Five (5) working days (w.d.) after issuance of the Notice to Proceed (NTP) from Procurement Department (ProcD), the supplier shall submit the following material samples as reference by PMED during the punch listing of the items:
	 Silver HPL material Granite Material (2" x 2") Color samples/ swatches Paint color samples for off-white and gray color (painted on wood, preferable 4" x 4" size)
	a. The supplier shall verify the actual dimensions on site. Discrepancies between the plans and actual dimensions shall be forwarded immediately to PMED for resolution.
 The bidder shall be responsible for the dimensions and conditions on the job. 	b. Shop drawings of the proposed signages based on the actual site condition with complete dimensions and description of parts and components for PMED approval prior to fabrication implementation.
DURATION	to deliver and installation of the
Please refer to the table below for the durati	on for the supply/ delivery and installation of the
Office Furniture LOCATION	DURATION (in c.d.)
1. NATIONAL CAPITAL REGION	25 days
NATIONAL CAPITAL REGION NORTHERN LUZON	45 days
3. CENTRAL LUZON	25 days

4. SOUTHERN LUZON	25 days
5. VISAYAS	30 days
6. MINDANAO	30 days


Prepared by

Reviewed by:

Approved by:


MARSON C. PADUA Architect, TSU-PMED JOHN ALBEN V. HISLANG Head, TSU-PMED

ENRICO DJ. SAMANIEGO Head, PMED






3.70.41



LANDBANK STANDARD DETAILS AND SPECIFICATIONS

HEAD, PHED



DESCRIPTION / SPECIFICATION

01 - WORK TOP

- 19mm THK, GRANITE COUNTER TOP WITH PROVISION OF SEALANT AT CONNECTIONS
- COLOR JET BLACK POLISHED (SUBJECT FOR APPROVAL)
- UNDERSIDE OF GRANITE COUNTER SHALL BE ‡ THK. MARINE PLYWOOD ON SEMI-GLOSS ENAMEL FINISH
- . COLOR WHITE, SMOOTHEN SURFACE PRIOR TO PAINTING

02 - REAR PARTITION PANEL

- WOODEN PARTITION WITH WOODEN SWING DOOR WITH DOUBLE ACTION HINGE
- (REFER TO FLOOR PLAN FOR THE CONFIGURATION OF TELLER'S CAGE IF WOODEN PARTITION AND SWING DOOR WILL BE PROVIDED)

03 - SIDE PARTITION PANEL

 † THK. MARINE PLYWOOD ON SEMI-GLOSS ENAMEL PAINT FINISH BOTH SIDES (COLOR: OFF-WHITE) ON 2" x 2" \$4\$ K.D. TANGUILE FRAMING WITH 1" THK, CLEAR GLASS

04 - COUNTER TOP

- 19mm THK, GRANITE COUNTER TOP WITH PROVISION OF SEALANT AT CONNECTIONS
- COLOR JET BLACK POLISHED (SUBJECT FOR APPROVAL)

05 - GROMMET

2° DIA. WIRE RACEWAY WITH GROMMET CAP

06 - LANDELANK LÓGO

REVERSED COMPUTER CUT-OUT STICKER ON 3M FROSTED STICKER

07 - ACCENT SURFACE

- THK. CLEAR ACRYLIC SHEET WITH 3M FROSTED FILM, REVERSED APPLICATION (COLOR.
 OPAQUE WHITE OR APPROVED EQUAL) ON 6mm PLYWOOD CLADDING ON 50mm x 50mm
 WOOD SEMI-GLOSS ENAMEL PAINT FINISH FACADE WOODEN PANEL BACKING
- COLOR OLIVE GREEN PATTERN TO FORMICA 3007 PALE OLIVE; PROVIDE TWO OR MORE SHADES OF OLIVE GREEN FOR CENTER PANEL

08 - ACCENT BORDERS

 j" x j" CHROME-PLATED TUBULAR BAR IN MIRROR FINISH FULL-WELD ALL JOINTS/CONNECTIONS

09 - RACEWAY

- 2" x 4" POWDER-COATED ALUMINUM RACEWAY
- COLOR TRANSFORMER GRAY (SUBJECT FOR APPROVAL)

10 - FRONT GLASS PARTITION

• F THK, CLEAR GLASS ON ANODIZE ALUMINUM U-CHANNEL/TRACK

11 - CONVENIENCE OUTLEY

PROVISION OF 3-2.3mm DIA. THIN WIRE AND 3-DUPLEX UNIVERSAL CONVENIENCE OUTLET.
 DATA OUTLEY AND SPARE OUTLET

PROJECT TITLE

12 - LAMINATED SIDEBOARD

- ALUMINUM SILVER LAMINATED SIDEBOARD ON J. THK. PLYWOOD
- COLOR: COSMIC DUSK OR APPROVED EQUAL (SUBJECT FOR APPROVAL)

13 - CASH DRAWER

 12mm THK PULL-OUT WOODEN DRAWER WITH ABLOY DRAWER LOCKSET COMPLETE WITH ACCESSORIES, STAINLESS STEEL PULL HANDLE FOR DRAWERS WITH PROVISION OF 16" FULL EXTENSION DRAWER GUIDE

14 - TELLER'S CABINET

 WOODEN CABINET WITH 12mm THK. CABINET DOOR WITH PROVISION OF HINGE AND CATCHES

15 - FOOT REST

J" DIA. STAINLESS STEEL FOOT REST

*

LAND BANK OF THE PHILIPPINES

PROJECT MANAGEMENT & ENGINEERING DEPT.

1698 WHI DEL PILAR ST. CORNER OR QUINTOS ST. MALATE.

TELLER'S CAGE

LANGBANK STANDARD DETAILS AND SPECIFICATIONS

EMPLOO DJ. SAMMHIEGO

APPROVED BY

DESCRIPTIONS SPECIFICATIONS

MIRET CONTENTS:

DESIGN PREDITOU SHEET NO:

ORAWN MESS

DATE AUGUST ROAD

CHECKED J. WELANG

J-TC-01

 $\boldsymbol{\mathcal{L}}$

TECHNICAL SPECIFICATIONS

Supply, delivery and installation of item/s covered by the Purchase Order shall mean that said items being supplied shall be delivered to the site and shall be ready for installation. FABRICATION/MAJOR ASSEMBLY WORKS ON SITE SHALL NOT BE ALLOWED. The items to be delivered shall be at least substantially completed during delivery. Works that may be required onsite shall be limited to the rectification of finishes, minor adjustments and the like,

Lumber shall be an approved quality of respective kinds specified for various parts of the work, thoroughly dried, well-seasoned, free from insects and from large loose or unsound knots, seps, shakes or other imperfections impering its strength, durability and appearance. All finish wood shall be of the highest quality suitable for finish (paint or yamish) specified.

All works shall be straight, plumb, aligned and leveled shall be securely fitted.

The supplier/ contractor shall submit shop drawings and sample of materials of the item/s per Purchase Order prior to fabrication, delivery and installation.

PANELS, CABINETS and DRAWERS, REAR PARTITION/DIVIDERS

All wooden cabinet doors, drawers and other wood work of similar nature indicated on the plans shall be done in accordance with the detailed drawings, Tolerance/ variance for the dimensions shall be +/- 6mm maximum. Plywood size and thickness to be used shall be as specified on the plans/ details. Plywood shall be Grade A-B fire resistant, treated with Fire Hazard Classification rating. Use wooden edging of the same thickness of the plywood to cover the sides of the plywood to protect the plywood edge from chipping/ cracking.

Wooden molding shall be from 2" x 4" KD S4S tanguile. Side panels shall be from 2"x2" tanguile wood with center groove approx. 12mm wide to receive the 12mm this clear class canels.

GRANITE COUNTER

Granife slab to be used shall be 19 mm this polished jet black color. Pointing of slab joints shall be with either polyurethane or polyester resin and linted to match slab color. Epoxy resin shall not be allowed, Joints shall be raised the full depth of the grantle slabs, and shall be neutralized. Resin grouts used shall be in the strict accordance with the manufacturer's instructions. Only one type of material shall be used for sleb joints in any designated area, Care shall be taken to avoid scratching the counter finish. All excess grouts shall be removed before it settles/ hardens. Final finish of the granite counter shall be applied with heavy duty abrasion-resistant wax to provide lasting plane.

Semi-gloss enamel shall be used for drawers, intenor wooden panels (legroom), cabinet doors and intenor portion and all other wooden surfaces. Surface preparation/ pre-treatment - prior to application surface to be painted shall be dry and free from dirf. grease, oil and other foreign matter. Surface should be sanded until amouth, Dust off and wipe.

Use Boysen or approved equal. Submit specification data and samples of each finish coating specified for approval of PMED prior to fabrication. Use of putty, primers and thinners shall be of the same brand of paint.

A.PAINTING SCHEDULE

- 1.INNER PORTION/ LEGROOM/ DRAWERS and DRAWER INTERIOR / CABINETS and CABINET INTERIOR/ SWING DOOR! TELLER'S DIVIDER! SIDE PARTITION! REAR PARTITION up to wooden molding shall be OFF-WHITE color semi-ploss enamel paint finish:
- 2.TELLER'S FACADE WOODEN PANEL BACKING left and right side panels shall be OLIVE GREEN pattern to 3007 pale olive by Formica semi-gloss enamel paint finish:
- 3. TELLER'S FACADE WOODEN PANEL BACKING center panel shall be one or two shades more of the OLIVE GREEN - pattern to 3007 pale office by Formics semi-gloss enamel paint finish
- 4.WOODEN MOLDING at side and rear partition/ divider shall be TRANSFORMER GRAY semi-gloss enamel paint finish.

PROJECT TITLE.

GLASS / GLAZING and ACRYLIC

Glass shall be provided in the locations as indicated in the plans, All standard procedure on glass and glazing works must be implemented to ensure correct. Iffting and glazing so as to preserve the physical strength of the glass when used. Clear glass shall be 12 mm this smooth edges and cut to size. Application of silicone sealant shall be done in a linear consistent manner along the length of the glass to minimize excess sealant or uneven application. All excess sealant shall be removed before it sattles/ hardens.

Acrylic panel at the teller's facacle shall be 19 mm this clear with 3M frosted film sticker OPAQUE WHITE color or approved equal explied at the rear portion, of the acrylic panel, Prior to adhesion, the acrylic panel should be cleaned, free from dirt, grease, oil and other foreign matter. The front panel shall also be free from dirt and should be dusted off and wiped clean.

MISCELLANEOUS

The supplier/ contractor shall submit samples of all finishing herdware (stainless steel handrail, locksets/ stainless steel foot rest, etc...), metal panel logo, and painting finishes for PMED approval prior to fabrication. Nails to be used shall be steet with no comoded parts. Wood acrews to be used shall be brass with countersunk freads unless specified.

Aluminum receways shall be powder coated finish - transformer gray color (submit color sample to PMED for approval prior to fabrication) with front detachable cho-lock cover. Said receives shall receive the electrical wrings for the teller's and new accounts counter. Convenience outlets shall be mounted to the rear side of the raceway facing the inferior legroom portion of the teller's cages/ new accounts counter.

Chrome plated tubular frame shall be maror finished with. Cuttoo shall be done to ensure that the vertical and horizontal frame are aligned/ fitted. The frames shall have no jagged / sharped edges. There should be no gaps between the frames.

Double action hinges shall be chrome plated or stamless steel mounted to the rear side of the teller's anclosure.

Polypropolene prommet caps color black (provide sample for PMED approvat prior to fabrication/ installation) shall be installed for the slots to receive the wings from the countertop to the legroom / receivery convenience outlet portion.

ELECTRICAL

The following electrical materials shall be used

a Duplex three pronged convenience outlet, National wide series with plate cover - color white 5.2.00 mm THHN wire solid

WORKMANSHIP

It is expected from the supplier/ contractor that the execution and completion of the items are conducted in accordance with the highest standard quality of workmanship practiced in the industry. Both materials and workmanship shall be subject to the approval of PMED.

Should any punchists/ workmanship be found not to have complied with the PMED requirements, the supplier/ contractor shall rectify said findings within the time period specified by PMED upon written notification to ProcO. In the event that the supplier/ contractor falls to recally the said findings before the specified time, PMED shall recommend to the end-user for the rectification of the findings at their level, the cost of which shall be deducted from the contract amount for the supplier/ contractor.

SHEET CONTENTS:



LAND BANK OF THE PHILIPPINES

PROJECT MANAGEMENT & ENGINEERING DEPT

1500 M.H. DEL PRAR 6T CORNER DR QUINTOS 6T MALATE MANAGEA

TELLER'S CAGE

LANDRANG STANDARD OF THE SIAMO REPORTED AND RECEIVED FROM

0 CO OJ. SAMANIEGO

APPROVED BY:

TECHNICAL SPECIFICATIONS

DRAWN DATE CHECKED

DESCA


14400 **A-5** AUGUST 2020 J. MINLANG

PHED.TM

SHEET NO



- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- CONTRACTOR/SUPPLIER SHALL VERPT AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JULY
 PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
 CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
 DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
 SUPPLIER TO SUBMIT ONE (1) YEAR WAPPANTY CEPTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



ISOMETRIC VIEW




LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1596 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA


NEW ACCOUNTS COUNTER 1.8 M	
LANDBANK STANDARD DETAILS & SPECIFICATION	11

TITLE:

	RECOMMENDING APPROVAL:	DENGH: TSU-PMED	SHEET NO;
		DRAWN: TSU-PMED	
	FARTO DI SAMPRESO	DATE: AUGUST 2020	NAC01
HEAD, Plate	REVIEWED I MISLANG	10F3	
	, , , , , , , , , , , , , , , , , , , ,	DATE:	



- WRITTEN DWENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BERESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
- SUPPLIER TO SUBMIT ONE (1) YEAR WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



TECHNICAL SPECIFICATIONS:

- GA# 19mm THK, GRANITE COUNTERTOP FINISH (COLOR: JET BLACK)
- 02 50mm x 100mm ALUMINUM RACEWAY (COLOR: PANTONE COOL GRAY 5C)
- 03 50mm DIA, GROMMET CAP WITH WIRE HOLE AND COVER
- 04 3/4" THK, MARINE PLYWOOD IN DUCCO PAINT FINISH
- 05 3/4" THK, MARINE PLYWOOD PULL-OUT MOUSE PAD TRAY IN DUCCO PAINT FINISH WITH FULL METAL DRAWER GUIDES
- 06 3/4" THK, MARINE PLYWOOD PULL-OUT KEYBOARD TRAY IN DUCCO PAINT FINISH WITH FULL METAL DRAWER GUIDES.
- 07 3/4" THIS, MARRIE PLYWOOD CPU TRAY IN DUCCO PAINT FINISH WITH FULL METAL DRAWER GUIDES
- 08 BOARD IN DUCCO FINISH PATTERNED AFTER FORMICA PALE GREEN NO. 3007 (SUBMIT SAMPLE)
- 19 V2" x V2" CHROME PLATED TUBULAR BAR IN MIRROR FINISH
- 10 3/4" THK, CLEAR ACRYLIC SHEET WITH FROSTED FILM (3M, AVERY OR APPROVED EQUAL)
- 11 50mm DIA, CPU WIRE HOLE



LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1596 M.H. DEL PILAR ST., CORNER OR, QUINTOS ST., MALATE MANILA

NEW ACCOUNTS COUNTER

TITLE:

LANDBANK STANDARD DETAILS & SPECIFICATIONS

ENTRE DI SAMANTOO


RECOMMENDING APPROVAL:

DEBIGN: TSU-PMED
DRAWN: TSU-PMED
DATE: AUGUST 2020
REVIEWED: MISLANG
DATE:

NACOI 3 OF 3

SHEET NO:

- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
 CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
 PMED MUST BE MOTHRED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
 CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
 DISCREPANCIES SETWEEN GRAVINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
 SUPPLIER TO SUBMIT ONE (1) YEAR WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.





TITLE:



LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.


1598 M H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA

NEW A LANDBANK STANS


ACCOUNTS COUNTER 1,5 M	Physics of Sampleson
IDARD DETAILS ASPECIFICATIONS	1000,

RECOMMENDING APPROVAL:

	DESIGN:	TSU-PMED	SHEET NO:
	DRAWN:	TSU-PMED	
	DATE:	AUGUST 2020	NACO
_	REVIEWED:	L MISLANG	10F3
	DATE	7	1







TECHNOCAL SPECIFICATIONS:

- 01 GAJI 19mm THK, GRANITE COUNTERTOP FINISH (COLOR; JET BLACK)
- 02 50mm x 100mm ALUMINUM RACEWAY (COLDR: PANTONE COOL GRAY SC)
- 03 SOmm DIA, GROWMET CAP WITH WIRE HOLE AND COVER
- 04 3/4" THK, MARINE PLYWOOD IN DUCCO PAINT FINISH.
- 05 3/4" THK, MARINE PLYWOOD PULL-OUT MOUSE PAD TRAY IN DUCCO PAINT FINISH WITH FULL METAL DRAWER GUIDES.
- 06 3/4" THK, MARINE PLYWOOD PULL-OUT KEYBOARD TRAY IN DUCCO PAINT FINISH WITH PULL METAL DRAWER GUIDES
- 07 3/4" THK. MARINE PLYWOOD CPU TRAY IN DUCCO PAINT FINISH WITH FULL METAL DRAWER GUIDES
- OB BOARD IN DUCCO FINISH PATTERNED AFTER FORMICA PALE GREEN NO. 3007 (SUBMIT SAMPLE)
- 09 1/2" x 1/2" CHROME PLATED TUBULAR BAR IN MIRROR FINISH
- 10 3/4" THK.CLEAR ACRYLIC SHEET WITH FROSTED FILM (3M, AVERY OR APPROVED EQUAL)
- 11 50mm DIA, CPU WIRE HOLE
- 12 CONVENIENCE OUTLET



LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1596 M H. DEL PILAR ST. CORNER OR QUINTOS ST., MALATE MANILA

NEW ACCOUNTS COUNTER
1.5 11
LANDBANK STANDARD DETAILS & SPECIFICATIONS

TETLE:

<u> </u>
Man a
EFECO DJ. BAMANEGO
HEAD, PRINTE

RECOMMENDING APPROVAL:

00000112	70017
DRAWN:	TSU-PMED
DATE:	AUGUST 2820
REVIEWED:	J. MISLANG
DATE:	1

TSULPMED

SHEET NO:

NAC01

30F3


DEMON:

NEW ACCOUNTS MOBILE CABINET **GENERAL NOTES** / TERMS OF REFERENCE:


- . SUPPLIER TO SUBMIT A WARRANTY CERTIFICATE OF ONE (1) YEAR AGAINST ANY DEFECT IN PRODUCT AND WORKMANSHIP.
- b. SUPPLIER TO SUBMIT DETAILED DRAWINGS PRINTED ON A4 SIZE PAPER WITH THE SUPPLIER'S OFFICIAL LETTERHEAD AND MOCK-UP UNIT TO PMED FOR POST QUALIFICATION EVALUATION.
- C WRITTEN DIMENSION ON THE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- d. SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB.
- e. DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION.
- f. SUPPLER TO COORDINATE WITH THE END-USER ON THE SCHEDULE OF MOBILIZATION/DELIVERY OF THE SAID ITEM.
- g. SUPPLIER TO SUBMIT (AS PART OF THE DOCUMENTARY REQUIREMENTS) TO PMED THE PHOTOS OF ACTUAL INSTALLED ITEMS. (CLOSE-UP AND FULL VIEW OF THE SAID ITEM)

SPECIFICATION

- 01 CABINET SHELL
- 02 VENT STRIP
- 03 · CASH DRAWER
- 04 CASH CABINET
- 05 PULL-OUT TRAY
- 06 WHEEL



PERSPECTIVE



PROJECT TITLE:

LAND BANK OF THE PHILIPPINES

PROJECT MANAGEMENT & ENGINEERING DEPT

1598 M H DEL PILAR ST CORNER DR GUINTON ST MALATE MANELA

NEW ACCOUNTS MOBILE CABINET

UNIOBANK STANDARD DETAILS AND SPECIFICATIONS

ENRICO DJ. SAMANIEGO

APPROVED BY:

HEAD, PMED

PERSPECTIVE PLAN VIEW GENERAL NOTES

SHEET CONTENTS:

PREPARED BY DATE AT MILLOW REVIEWED DATE

DEBIGN

A-1


SHEET NO:

PMED-TOU


AUDUST 3670

MESS

1-HANC-M



- WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.
- CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.
- SUPPLIER TO SUBMIT ONE (1) YEAR WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



PERSPECTIVE

PLAN VIEW

SPECIFICATIONS:

- 01 12mm THK CLEAR GLASS
- 02 11/2" (38mm) THK TANGUILE KD \$4\$ IN DUCCO FINISH (COLOR: OFF-WHITE)
- 03 2" (50mm) x 6" (150mm) TANGUILE KD S4S IN DUCCO FINISH (COLOR: OFF-WHITE)
- 04-1" (25mm) THK ORDINARY PLYWOOD IN DUCCO FINISH (COLOR: OFF-WHITE)

05- 1/2" (12.5mm) THK ORDINARY PLYWOOD IN DUCCO FINISH (COLOR: OFF-WHITE)
06 - DIGITAL COLORED PRINTING ON STICKER (SEE STICKER SPECIFICATIONS)



LAND BANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

1508 M.H. DEL PILAR ST., CORNER OR, QUINTOS ST., MALATE MANILA

SLIP WRITING COUNTER

TITLE:

EMICO OJ. EAMPHEGO

RECOMMENDING APPROVAL:


DATE: AUGUST 2020
REVIEWED: J. MISLANG
DATE:


TSU-PMED


DEBIGH:


SW 1 OF 3

BHEET NO:











WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.

CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.

PAGED MUST BE NOTB'IED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE ORAWINGS.

EMECUNIOS TO RECTOR SERVICE MAINES AND FACILITY OF ANY VARIABLE LIVED FROM THE DIMENSIMPLE DIMENSIMPLE AND THE ANY VARIABLE LIVED FOR ANY MOST AND THE ANY AND TH

MATERIAL SPECIFICATIONS

01 - SELF ADHESIVE DECORATIVE VINYL NO.1393

02 - REVERSED DIGITAL COLORED PRINTING ON CLEAR STICKER MOUNTED ON 3mm THK CLEAR ACRYLIC (COLOR: GREEN -PANTONE No. 355 C)

03 - 1/2" THK SOLID WOOD IN DUCCO FINISH (COLOR: OFF-WHITE

D4 - 24mm DIA. STAINLESS STEEL MOUNTING SCREWS COMPLETE WITH ACCESSORIES

DS - 70mm (2.75" x 1 1M") HEAVY DUTY WHITE NYLON WHEEL CASTERS WITH LOCK CONNECTED TO BASE

FONT GUIDE


LANDBANK - ARIAL BLACK BRANCHNAME - ANTENNACOND-LICHT

SCALING REFERENCE

X = (GRID SQUARE) = 26mm









LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1588 MINI DEL PILAR ST. CORNER DR. QUINTOS ST. MALATE MANILA

GUARD'S PODIUM
LANGBANK STANDARD BETAILS & EPECIFICATIONS

TITLE:

	<u>, </u>
	Parsonia -
	HEAD, PURE
/	

RECOMMENDING APPROVAL:

	ORAWN:	TSU-PMED	
4	- DATÉ:	AUGUST 2020	
	REVIEWED:	J. MISLANG	
	DATE:	7	


DENGN:

TSU-PWED

GP 30F3

SHEET NO:

CLASS D






LAND BANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1690 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANILA

SANDBOX
(FOR EMERGENCY/SECURITY UNLOADING)
<u> </u>
ANDRANK STANGARD BETAILS SSPECIFICATIONS

RECOMMENDING APPROVAL:	DEBISH:	1004460	GIVEE I NO.
	DRAWN:	T\$U-PMED	
PHYSIC O.J. SAMANIEGO	DATE:	AUGUST 2020	SB
	REVEWED:	J. MISLANG	10F3
,	DATE:		




WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.

CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.

■ PMED MUST BE NOTIFIED IMMEDIATELY OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN IN THESE DRAWINGS.

CONTRACTOR/SUPPLIER SHALL SUBMIT SHOP DRAWING AND PROTOTYPE TO PMED FOR APPROVAL BEFORE PRODUCTION.

SUPPLIER TO SUBMIT ONE (1) YEAR WARRANTY CERTIFICATE AGAINST DEFECT IN PRODUCT AND WORKMANSHIP.



SPOT DETAIL 25mm x 25mm HINGE COMPLETE WITH SCREW

SPECIFICATIONS:

- 01 3/4" THK, MARINE PLYWOOD ON PAINT FINISH COLOR: WHITE
- 02 1"x2" THK. WOOD FRAMING SUPPORT ON PAINT FINISH COLOR: WHITE
- 03 1"x1" THK, WOOD STIFFINER ON PAINT FINISH COLOR: WHITE
- 04 SAND FILL
- 05 25mm x 25mm HINGE COMPLETE WITH SCREWS ON PAINT FINISH COLOR: WHITE

TITLE:



LAND BANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.


1898 M.H. DEL PILAR ST., CORNER DR. QUINTOS ST., MALATE MANNA


SANDBOX (FOR EMERGENCY/SECURITY UNLOADING)
LANDBANK STANDARD DETAILS ASPECIFICATIONS

	· ·	DATE:		·
	HOAD, PMES	REVIEWED:	J. MISLANC	30F3
I	/ Ramary	CATE:	AUGUST 2020	SB
1	~	DRAWN:	TSU-PMED	
1	RECOMMENDING APPROVAL:	DENGH:	TSU-PMED	SHEET NO:

- WRITTEN DRIENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
- CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS OF THE JOB.
- DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWANDED TO PMED RESOLUTION







TOP VIEW

DESCRIPTION/SPECIFICATIONS:

- 01 GOLD STICKER ON SINTRA BOARD BACK DROP WITH PRINTED "LANDBANK LOGO". "LANDBANK" AND "DIGITAL BANKING CORNER" TEXT (WITH GOLD SHADOW EFFECT)
- 02 %" ACRYLIC SHEET WITH REVERSE STICKER WITH LED STRIP LIGHT AT THE BOTTOM PORTION
- 03 HPL WOOD GRAIN LAMINATE ON 32MM MOF WITH 2MM THK PVC EDGING (COLOR BLACK)
- 04 METAL LAMINATE STRIP ACCENTS ON 32MM MDF BOARD WITH 2MM THK PVC EDGING (COLOR BLACK)
- 05 COUNTERTOP METALLIC FINISH HIGH PRESSURE LAMINATE (HPL) ON 32MM THK MDF W/ 2MM EDGING (COLOR SILVER LE COSMIC DUSK OR APPROVED EQUAL)
- 06 LEG/SIDINGS GRAY HPL ON 32MM MDF WITH 2MM THK PVC EDGING (COLOR BLACK)
- 07 50mm x 100mm ALUMINUM RACEWAY
- **08 45mm MOHAIR (COLOR BLACK)**

REV 2(08-JQ-2019)

CLASS D

*	

APPROVED BY:

EVP JULIO D. CLIMACO, JR.

HEAD, DOS

LANDBANK OF THE PHILIPPINES PROJECT MANAGEMENT & ENGINEERING DEPT.

1590 M HI DEL PILAR ST. CORNER OR QUINTOS ST. MALATE MANKA

DIGITAL BANKING CORNER (FOR SMALL BRANCH) LANDSANK STANDARD DETAILS & SPECIFICATIONS

TITLE:

90

RECOMBENDING APPROVAL

	DEMON:	75U-PUED	SHEET NO:
	DRAMO:	MESSMARC	
4	DATE 26 FEBRUARY 2020		DBC
	CHECKED:	LINSLANG	3
	DATE:		

CLASS D

WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.

* CONTRACTOR/SUPPLIER SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMERSIONS AND CONDITIONS OF THE JOB.


. DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE WIMEDIATELY FORWARDED TO PINED RESOLUTION

1500 mm

450 mm

600 mm

450 mm



250 mm 1000 mm

FRONT VIEW

LEFT SIDE VIEW

APPROVED BY:

so dimaco a

EVP JULIO D. CLIMACO, JR.

HEAD, BRE

REV 2008-30-2019)



LANDBANK OF THE PHILIPPINES
PROJECT MANAGEMENT & ENGINEERING DEPT.

1998 MH DEL PRAR ST CORNER DR QUINTOS ST MALAYE MANILA

DIGITAL BANKING CORNER (FOR SMALL BRANCH)

TITLE.


LANDBARK STANDARD DETAIL BASPECIFICATIONS

	Kraeno-
	DI SANAMINO
/	HEAU. PIED

RECOMMENDING APPROVAL

	DESIGN.	TSU-PMED	Bridge I IN
	DRAWN:	NESSAMARC	
-	DATE 26 FEBRUARY 2020		D
	CHECKED:	V J MISLANG	4
	DATE	7-3	

BC 4





CLASS D NOTES:

WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS
CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB
DISCREPANCIES BETWEEN CRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION. NA **VER** TELLER'S CAGES 300 1250 1250 1800 1250 481 434 481 1325 1275 1350 3950 SYSTEMS FURNITURE - C REVISIONDATE: TSU-PMED NOTED BY: STAG SHEET CONTENT. DESIGN SHEET NO. PROJECT TITLE LANDBANK OF THE PHILIPPINES EDREL DRAWN: PROPOSED LANDBANK G ARANETA BRANCH PROJECT MANAGEMENT & ENGINEERING DEPT. DATE 08-27-2021 **RELOCATION (FIT-OUT)** SYSTEMS FURNITURE C JOHN ALBEN V. MISLANG 1598 M.H. OEL PILAR ST., CORNER DR., QUINTOS 5T., MALATE, MANNA CHECKED:


DATE

LOCATION: CENTRAL WORLD BUILDING, 341 G.ARANATA AVE., BRGY DONA IMELDA, Q.C.





TELLERS' CAGES



NEW ACCOUNTS

REVISIONDATE: NOTEO BY: PROJECT TILE.

LOCATION: NATIONAL ROAD BRGY, DAPAWAN ODIONGAN, ROMBLON


DATE:

PMED DESIGN MAUI-TSU DRAWN DATE AUGUST 31 2021 E. LAUREL CHECKED DATE




SHEET NO:

PROPOSED LANDBANK ODIONGAN BRANCH RELOCATION/ BLDG. CONSTRUCTION--SYSTEMS FURNITURE




LANDBANK DOLE BRANCH RENOVATION/EXPANSION


DOLE BUILDING, GENERAL LUNA STREET, INTRAMUROS, MANILA



CLASS D




NOTES:
WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS.
CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB.
DISCREPANCIES BETWEEN DRAWINGS AND ACTUAL CONDITION MUST BE IMMEDIATELY FORWARDED TO PMED FOR RESOLUTION. CLASS D PROPOSED TELLERS' CAGES 2250 35 2 3 VER 1350 1350 1350 1350 5400 TELLER'S CAGE PROPOSED NEW ACCOUNTS COUNTER 8 BSO NAC NAC





NEW ACCOUNTS




REVISIONDATE: DESIGN PMED SHEET NO: NOTED BY: DATE: PROJECT TITLE: ORAWN: MARIE PROPOSED LANDBANK PUERTO (CDO) Α DATE: 11 JUNE 2020 **BRANCH RENOVATION** JOHN ALBEN V. MISLANG CHECKED DATE LOCATION: ZONE 6 BARANGAY PUERTO, CAGAYAN DE ORO











CLASS D



TELLERS' CAGES SCALE: 1:50M



OFFICE FURNITURES A-2 REVISIONDATE: SHEET NO: DESIGN: TSU-PMED PROJECT TITLE: NOTED BY: DATE: DRAWN: A.EBORA PROPOSED LANDBANK PLAZA LIBERTAD 11 March 2021 DATE: (ILOILO) BRANCH RENOVATION JOHN ALBEN V. MISLANG CHECKED M. PADUA DATE : LOCATION: GROUND FLOOR YBIERNAS BUILDING, ZAMORA ST., ILOILD CITY

1:40M

